



SRI KARAN NARENDRA COLLEGE OF AGRICULTURE
(S. K. N. AGRICULTURE UNIVERSITY), JOBNER
Distt.: Jaipur, Rajasthan (India) 303 329

Dr. M.R. Choudhary
DEAN & FACULTY CHAIRMAN

01425-254022

Email: dean.skncoa@sknau.ac.in

No. F. ()//Acctt/ SKNCOA/2024/1725

Dated:07-11-2024

CORRIGENDUM FOR BIDDING DOCUMENT

E-procurement of Drip automation and Sprinkler-related items, Plastic water tanks etc.

No. F. ()//Acctt/ SKNCOA/2024/ 1709 Dated:26-10-2024

Name of Work: Supply and installation of Drip automation and Sprinkler-related items, Plastic water tanks etc.

Reference: As per queries raised in pre-bid meeting on date 7-11-2024

S.No.	Reference	Item detail given in document	Corrigendum about Item after pre-bid meeting which is to be "read as"
1.	Page No. 7, 12 & 44, Sr. No 11	2" Solenoid valves with ON/OFF Manual Bleed (with 24VAC input)- 1No.	2" Solenoid valves with ON/OFF Manual Bleed (with 24VAC input)- 05 Nos.
2.	Page No. 8, 13 & 45 'Field Drip Irrigation Components' & in between Sr. No. 26 & 27	Nothing mentioned at S.No. 26A	please read in between S.No. 26 & 27 as S.No. 26 A "Sub Main Line- PVC- 63/ 4kg/cm2 (IS 4985 :2000)- 180 Metres
3.	Page No. 8, 13 & 45 Sr. No. 30	Pressure Compensated (PC) Drip line 16mm, 1LPH, 0.30 M dripper distance having Anti-Siphon Mechanism (IS 13488: 1992/2008) of Black colour- 7000 mtrs	Read as "Pressure Compensated (PC) Drip line 16mm, 2LPH, 0.30 M dripper distance having Anti-Siphon Mechanism (IS 13488: 1992/2008) of Black colour- 7000 mtrs
4.	Page No. 8, 13 & 45, In between Sr. No. 30 & 31	Nothing mentioned at S.No. 30A	Read in between S.No. 30 & 31 as S. No. 30 A "Pressure Compensated (PC) Drip line 16mm, 1LPH, 0.20 M dripper distance having Anti-Siphon Mechanism (IS 13488: 1992/2008) of Black colour- 7000 mtrs
5.	Page No. 9, 14 & 46 Sr. No. B.1 "Plastic water	Plastic water tank of 5000 litre capacity, ISI or its equivalent authority mark, fitted with 2" plastic Valve	Read as "Plastic water tank of 5000 litres capacity, ISI mark, Black/white in colour" - 05 Nos.

	tank”	near to bottom with Iron stands (red oxide + green clour) of 2 metre height of good strength to bear weight of 5000 litres water filled plastic tanks with installation- 05 Nos.	
6.	Page No. 30 ‘Field Drip Irrigation Components’ & in between Sr. No. 26 & 27	Nothing mentioned at S.No. 26A	please read in between S.No. 26 & 27 as S.No. 26 A “Sub Main Line- PVC- 63/ 4kg/cm2 (IS 4985 :2000)- per Mtr
7.	Page No. 30 Sr. No. 30	Pressure Compensated (PC) Drip line 16mm, 1LPH, 0.30 M dripper distance having Anti-Siphon Mechanism (IS 13488: 1992/2008) of Black colour- per mtr	Read as “Pressure Compensated (PC) Drip line 16mm, 2LPH , 0.30 M dripper distance having Anti-Siphon Mechanism (IS 13488: 1992/2008) of Black colour- per mtr
8.	Page No. 30 & in between Sr. No. 30 & 31	Nothing mentioned at S.No. 30A	Read in between S.No. 30 & 31 as S. No. 30 A “Pressure Compensated (PC) Drip line 16mm, 1LPH, 0.20 M dripper distance having Anti-Siphon Mechanism (IS 13488: 1992/2008) of Black colour- - per mtr
9.	Page No. 30 Sr. No. B.1 “Plastic water tank”	Plastic water tank of 5000 litre capacity, ISI or its equivalent authority mark, fitted with 2” plastic Valve near to bottom with Iron stands (red oxide + green clour) of 2 metre height of good strength to bear weight of 5000 litres water filled plastic tanks with installation.	Read as “ Plastic water tank of 5000 litres capacity, ISI mark, Black/white in colour ” - 01 No.

Note: The last date for sale of bid form, last date of receipt of bid form and date of opening of technical bid will remain unchanged.


DEAN

Copy forwarded to the following for information:

1. P.S. to Hon'ble Vice Chancellor, SKN Agriculture University, Jobner.
2. The Registrar, SKN Agriculture University, Jobner.
3. The Comptroller, SKN Agriculture University, Jobner.
4. Dr. Akhtar Hussain, Dr. R. P. Ghasolia, Dr. Deepak Gupta, Sh. Damodar, Sh. Hafiz Mohammed, Sh. Dinesh Verma, Members of Tender Committee, SKNCOA, Jobner

5. I/C CIMCA, SKNAU, Jobner with request to upload on SPP portal and University Website.
6. The PI/Co-PI, RKVY-30, Department of Horticulture, SKNCOA, Jobner
7. The Prof. & Head, Department of Horticulture, SKNCOA, Jobner
8. TO, SKNAU, Jobner
9. DDO, SKNCOA, Jobner
10. Guard File


DEAN