

COLLEGE OF AGRICULTURE - PEETHAMPURI

(Sri Karan Narendra Agriculture University, Johner)
कृषि महाविद्यालय पीथमपुरी, नीमकाथाना, जिला—सीकर (राज.) — 332 708
Email: dean.coapeethampuri@sknau.ac.in M: 9414820579

Dr. S.S. Yadav DEAN

No. F. ()/Store/COAPP/2025/1950

Open Tender Notice

Sealed tenders are invited from the reputed firms for the supply of "Mattress, Office Furniture & Classroom boards" as per the details given below in two bid system (Technical Bid & Financial Bid). Bid document can be obtained from this office by depositing Rs. 500 in cash and also be downloaded from the university website www.sknau.ac.in & sppp.rajasthan.gov.in

| Date & Time of deposition tender | Upto 11:00 AM of 17.02.2025 | | |
|------------------------------------|--|--|--|
| form in office | | | |
| Date & Time of opening tender form | 12:30 PM of 17.02.2025 | | |
| Tender Fee | Rs 500/- (Bank DD/Cash) | | |
| | Rs. 250.0 for MSMEs | | |
| Bid Security (2.0%) | Rs 19900/- Bank DD in favour Dean, College of | | |
| | Agriculture, Peethampuri/Cash | | |
| | Rs. – 4970/- for MSMEs (@ 0.50%) | | |
| Approx. Amount (Rs.) | Rs. 994000/- | | |
| Address for correspondence: | Dean, College of Agriculture, Peethampuri, Neem Ka Thana, Sikar 332-708 | | |

07/02/25 DEAN

Date: 07.02.2025

Copy forwarded for information and necessary action:-

- 1. The Comptroller, SKN Agriculture University, Johner with request to nominate his member for the tender.
- 2. Incharge, CIMCA with request to upload open tender on University website, <u>www.sknau.ac.in</u> and ssppp.rajasthan.gov.in.
- 3. The Convenor/member Tender committee, COA, Peethampuri.
- 4. I/c Accounts/Store, COA, Peethampuri.
- 5. Guard file

07/02/25 DEAN

Terms and Conditions

- 1. Technical and financial bids are to be prepared separately in two envelops.
- 2. Important annexures/documents except financial bid should be kept in **Envelope 1** along with tender fee DD if not already paid to this office and earnest money DD.
- 3. Envelope 2 should contain only financial bid and it will be opened only when technical bid of the bidder is qualified.
- 4. Tender will not be considered if bidder fails to submit security deposit and tender fee.
- 5. If technical & financial bids are not given separately, it will be rejected without assigning any reason.
- 6. The rate quoted shall be inclusive of delivery at the College of Agriculture, Peethampuri.
- 7. The firm should have a minimum average turnover of 50 lacs for the last three financial years duly certified by CA.
- 8. The bidder must put his **signature and stamp on every paper** of tender including terms and conditions.
- 9. Delivery should be done within 25 days after receipt of work order.
- 10. Bid security will be returned to the non-successful bidder after finalization of the tender. Successful bidders will have to deposit 5.0% performance security of order value (2.5% for MSE) that will be returned after completion of warranty period of each supplied item.
- 11. Self-attested copy of GST/PAN/Firm Registration/C.S.T. Nos. may be attached.
- 12. The quoted rates will remain effective for the period of three months after approval.
- 13. In case any dispute arising out of this contract, shall be subjected to the jurisdiction of Indian laws & Court at Neem Ka Thana.
- 14. No advance payment will be made to the bidder. Payment will be released by treasury office SKNAU Jobner only after satisfactory completion of work i.e. supply and verification by the purchaser.
- 15. Lowest price quoted will not qualify for selection of tender but quality and desired standards will also be considered.
- 16. Other terms & conditions will be as per RTPPA 2012, RTPPR 2013 and other guidelines provided by the state government from time to time.
- 17. The technical specifications and warranty obligations should be fulfilled as per Annexure VII.
- 18. All furniture items should be **ISI** Marked and Refrigerator **ISO** Marked.
- 19. The approximate quantity of purchases may be increased or decreased.
- 20. The Dean, College of Agriculture, Peethampuri (Sikar) reserves the right to accept or reject any or all the tenders either in full or in parts without assigning any reason thereof.
- 21. Bidders have to quote their rates for each item separately in the Proforma given in financial bid, only. (Annexure VIII).

ANNEXURE – I

Declaration by the Bidder regarding Qualification

(To be submitted on non-judicial stamp paper of Rs. 50.0, duly notarized)

In relation to my/our Bid submitted to the Dean, College of Agriculture, Peethampuri for procurement of "Mattress, Office furniture & Classroom boards" at College of Agriculture, Peethampuri in response to their Notice Inviting Bid No. F. ()

Dated .

I/We hereby declare under Section 7 of Rajasthan Transparency in Public Procurement Act, 2012, that:

- 1. I/We possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entity;
- 2. I/We have fulfilled my/our obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in the bidding document;
- 3. I/We are not insolvent in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
- 4. I/We do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
- 5. I/We do not have a conflict of interest as specified in the Act, Rules and Bidding Document, which materially affects fair competition;

| Document, which materially affects fair competition; | |
|--|--|
| Date: | |
| Signature of Bidder with seal: | |
| Place: | |
| Name: | |

ANNEXURE - II

DECLARATION BY BIDDER

(strike off whichever not applicable)

We hereby declare that we are Bona-fide manufacturer/Authorized whole sellers/Sole distributors/Authorized Dealer Distributor/Sole Selling/Marketing Agent in the Goods/Store/equipment's/item for which we have tendered.

If this declaration is found to be incorrect then without prejudice to any other action that may be taken, our security may be forfeited in full and the tender if any to the extent accepted may be cancelled.

Signature of bidder with seal



ANNEXURE – III

DECLARATION BY BIDDER

(To be submitted on non-judicial stamp paper of Rs. 50.0, duly notarized)

We hereby declare that we are not blacklisted by any Govt. Department/PSU/Company from last 3 years, wherever we have supplied placement work/service unit, for supplying substandard goods/services to these units.

We also declare that, we are not defaulter, insolvent in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons.

Signature of bidder with seal

ANNEXURE - IV

FALL CLAUSE CERTIFICATE

This is to certify that we have offered the maximum possible discount to you in our Bid. The prices charged for the items supplied under this tender are under no event higher than the lowest prices at which the firm sells the items of identical description to any other Govt. Organisation/ PSU's/ Central Govt. /State Govt. Autonomous bodies/Central/State Universities/Central/State Educational Institutions during the period of contract failing which the "FALL CLAUSE" will be applicable.

In case, if the price charged by our firm is more, purchaser will have the right to recover the excess charged amount from the subsequent/unpaid bill of the supplier.

Seal and Signature of the bidder

ANNEXURE - V

FORM No. 1 [See rule 83 of RTTP]

Memorandum of Appeal under the Rajasthan Transparency in Public Procurement Act, 2012

| App | eal Noof |
|----------------------------|---|
| Befo | ore the (First / Second Appellate Authority) |
| (ii) | Particulars of appellant: Name of the appellant: Official address, if any: Residential address: |
| 2. (i) (ii) (iii) | Name and address of the respondent(s): |
| 3. | Number and date of the order appealed against and name and designation of the officer / authority who passed the order (enclose copy), or a statement of a decision action or omission of the Procuring Entity in contravention to the provisions of the Act by which the appellant is aggrieved: |
| 5. 6. | If the Appellant proposes to be represented by a representative, the name and postal address of the representative: Number of affidavits and documents enclosed with the appeal: Grounds of appeal: |
| | |
| •••• | (Supported by an affidavit) |
| | Prayer: |
| | |
| 150.405.0414 | |
| | e |
| App | ellant's Signature |

2 C

ANNEXURE - VI

Annual Turnover Certificate (CA Certified)

I/We hereby declare that the annual turnover of our firm is as under.

| S. No. | Financial Year | Turnover (In Lakh) |
|--------|-----------------|--------------------|
| 1 | 2021-22 | |
| 2 | 2022-23 | |
| 3 | 2023-24 | |
| | Total Turn Over | |
| | Avg. Turn Over | |

If this declaration is found to be incorrect then without prejudice to any other action that may be taken, our security may be forfeited in full and the tender if any to the extent accepted, may be cancelled.

Signature of bidder with seal



ANNEXURE - VII

TECHNICAL SPECIFICATIONS

| S. Name of Item No. | | Specifications | Quantity (Nos.) | |
|---------------------|--|---|-----------------|--|
| 1. | Mattress | PU Foam mattress with 40 density size 6 ft. × 3 ft. in 4 inches thickness Warranty: 2 Years | 120 | |
| 2. | Podium | Material: Wooden Size: 48 X 20 X 18 inch Surface Finish: Polished Colour: Walnut-White A small open compartment provides ample storage for all the important documents and small electronic items like mic. Warranty: 2 Years | 03 | |
| 3. | Classroom White Board (8 ft. x 4 ft.) | Size: 8 Ft. (L.) X 4 Ft. (W) Color: White Frame Material: Durable Aluminium Mounting Type: Wall Mount Board Material: Melamine white Board Shape Type: Rectangular Warranty: 2 Years | 04 | |
| 4. | Classroom White Board (5 ft. × 4 ft.) | Size: 5 Ft. (L.) X 4 Ft. (W) Color: White Frame Material: Durable Aluminium Mounting Type: Wall Mount Board Material: Melamine white Board Shape Type: Rectangular Warranty: 2 Years | 04 | |
| 5. | Notice Board with Glass Door (4 ft. × 3 ft.) | Size: 4 Ft. (L.) X 3 Ft. (W) Material: Softboard with Premium Flocked Fabric (Velvet) Cloth Surface Colour: Green Item Weight: 9 Kilograms Frame Material: Aluminium Board Material: Melamine white Board Shape Type: Rectangular Warranty: 2 Years | 04 | |
| 6. | Revolving officer Chair | High Back Revolving Chair, Overall Dimension: 705W ±10 x 705D ±10 x 1220H ±10 mm. Seat of chair is made of 12mm thick hot pressed plywood pasted with PU Moulded foam with Prime Quality Fabric upholstery on Seat, Used PU Moulded foam on Seat of D-45 kg/m3, Back of chair is made of Injection moulded PP material structure in Black & Silver colour combination upholstered with Mesh fabric, Adjustable Lumber support of Size 260W X 150H X 55T mm upholstered with Mesh fabric, Back fixed with Mechanism through Metal Powder coated Spine Bracket of size 75Dx8thick mm, Adjustable PP frame with | 02 | |



| | | I I I DITC YY I | |
|----|------------------|---|----|
| | | cushioned PU foam Headrest on back Upholstered with | |
| | | Mesh Fabric 260W X 160H X 45T mm, head rest lifted | |
| | | 50mm, Seat Size: 470W ±10 x 500D ±10 x 70Thick. ±5 | |
| | | mm, Back Size: 480W ±10 x 780H ±10. | |
| | | Mechanism: The Synchro tilt Mechanism in chair it | |
| | | allows the person's feet to stay flat on the floor when | |
| | | the chair is tilted backward, Seat & Back moves in 2:1 | |
| | | direction with Single upright position locking, Tilt | |
| | | tension knob to loosen or tighten the tension according | |
| | | to users body weight. | |
| | | Gaslift: Lift -Used gaslift of 100 mm size of Class-IV | |
| | | grade, with lifting of 85mm, 3-piece plastic bellow | |
| | | cover. | |
| | | Armrest: Fixed PP armrest in Black & Silver colour | |
| | | combination, PP ARM Size 80W x 165H from Seat. | |
| | | Chair Base & Wheels: Metal chrome plated Chair Base | |
| 1 | | Made of 2.5mm thick Metal chrome | |
| | | plated steel frame, base consists of 5 prongs with 650±5 | |
| | | mm pitch circle diameter, 50mm Dia. Black Nylon - | |
| | | Twin Wheel Pin castor. The product should bear IGBC | į |
| | | Green Pro certificate for product category. And should | |
| | | be BIFMA member having AIOTA (All India | |
| | | Occupational Therapists Association) certificate. | |
| | | Warranty: 2 Years | |
| 7. | Executive Chair | High Back Revolving Chair, Overall Dimension:- | 01 |
| '. | L'ACCULIVE CHAII | $705W \pm 10 \times 705D \pm 10 \times 1340H \pm 10 \text{ mm}.$ | 01 |
| | | Seat of chair is made of 12mm thick hot pressed | 1 |
| | | plywood pasted with PU Moulded foam with Mesh | |
| | | upholstery on Seat with PP outer cover on bottom of the | |
| | | seat, PP cover size 580W x 485D, Used PU Moulded | |
| | | | 1 |
| | | foam on Seat of D-45 kg/m3, Back of chair is made of | |
| | | Injection moulded PP material structure upholstered | |
| | | with Mesh fabric, Chrome Plated Twin pipe | |
| | | 25.4x16gauge Structure connected with Mechanism, it | |
| | | help to Adjust the height of the backrest position, | |
| | | Lumber support of Size 260W X 120H upholstered with | |
| | | fabric, Adjustable Headrest on back with PP cover | |
| | | Upholstered with Mesh Fabric of size 300W X 220H | |
| | | mm, head rest lifting 35mm, Seat Size:- 520W ±10 x | |
| | | $510D \pm 10 \times 100$ Thick. $\pm 5 \text{ mm}$, Back Size: $520W \pm 10 \times 100$ | |
| | | 680H ±10, 100mm Back height adjustment. | |
| | | Mechanism: The knee tilt synchro Mechanism in chair | |
| | | it allows the person's feet to stay flat on the floor when | |
| | | the chair is tilted backward with Multi position locking, | |
| | | Tilt tension knob to loosen or tighten the tension | |
| | | according to users body weight. | |
| | | Gaslift:- Lift -Used gaslift of 85 mm size of Class-IV | |
| | | grade with Lifting 70mm height, 3 piece plastic bellow | |
| | | cover. | |
| | | Armrest:- Adjustable PU Padded armrest PU Pad fixed | 1 |
| | | on chrome & PP structure, armrest with 5 step | |
| | | adjustment with 75mm lifting, Arm rest Width 100mm | |
| | I | Loss | 3 |
| | | | |
| | | Chair Base & Wheels:- Metal chrome plated Chair Base Made of 2.5mm thick Metal chrome plated steel frame, | |

| | | base consists of 5 prongs with 650±5 mm pitch circle diameter, 50mm Dia. Black Nylon - Twin Wheel Pin castor. Warranty: 2 Years | 2.2 |
|----|--|--|-----|
| 8. | Office Table for Dean office | Table with Glass Top (10 mm) ,Overall Size 2000WX1000DX770H , Top made up of 43mm thick PLPB with 2mm thick pvc edge bending , Vertical made up of 25mm thick PLPB with 2mm thick pvc edge bending , Modesty panel made up of 18mm thick PLPB with 2mm thick pvc edge bending , on front panel Lehnerite Cushion panel at centre & metal strip , All Wooden Panels , Gables & modesty Fix Joints With Minifix Dowels , minifix & Other Fitting Equipment , All Wooden Panels Prime Quality Board With ISI Marked . Overall Size 450WX600DX675H, Top made up of 25mm thick PLPB with 2mm thick pvc edge bending, under structure made up of 18mm thick PLPB with 2mm thick pvc edge bending , back panel made up of 12mm thick PLPB, 4 number of caster wheel provide on bottom , 3 number of S.S handle & one number of lock , All Wooden Panels Fix Joints With Minifix Dowels , minifix & Other Fitting Equipment , All Wooden Panels Prime Quality Board With ISI Marked . Overall Size 1200WX450DX740H , Top made up of 43mm thick PLPB with 2mm thick pvc edge bending , Top size 1200WX450DX43mm , under structure made up of 18mm thick PLPB with 2mm thick pvc edge bending , Shelve made up of 18mm thick PLPB with 2mm thick pvc edge bending and front on side metal strip , mack panel made up of 12mm thick PLPB with 2mm thick pvc edge bending and front on side metal strip , mack panel made up of 12mm thick PLPB with 2mm thick pvc edge bending and front on side metal strip , mack panel made up of 12mm thick PLPB with 2mm thick pvc edge bending and front on side metal strip , mack panel made up of 12mm thick PLPB with 2mm thick pvc edge bending and front on side metal strip , mack panel made up of 12mm thick PLPB with 2mm thick pvc edge bending and front on side metal strip , mack panel made up of 12mm thick PLPB with 2mm thick pvc edge bending and front on side metal strip , mack panel made up of 12mm thick PLPB with 2mm thick P | 01 |
| 9. | Revolving officer Chair (Dean office) | High Back Revolving Chair, Overall Dimension:- 650W ±10 x 650D ±10 x 1280H min ±10 mm. Seat of High back chair is made of 12mm thick hot pressed plywood pasted with PU Moulded foam with Fabric upholstery on Seat , Used PU Moulded foam on Seat of D-45 kg/m3 , Back of High back chair is made of Injection moulded PP material structure in Black & Silver colour combination upholstered with Mesh fabric , Adjustable Lumber support upholstered with Mesh fabric , Adjustable PP with cushioned Headrest on back Upholstered with Mesh Fabric , Seat Size:- 450W ±10 x 440D ±10 x 60Thick. ±5 mm , Back Size: 490W ±10 x 780H ±10 with headrest. Mechanism:- Torsion Bar Single point control , | 01 |

| | | Seat & Back moves in same direction, Single/Upright position locking, Tilt tension knob to loosen or tighten the tension according to users body weight. Gaslift: Lift -Used gaslift of 100 mm size of Class-IV grade, Plastic Gas lift cover. Armrest: PU padded Fixed armrest design fixed with seat. Chair Base & Wheels:- Metal chrome plated Chair Base, base consists of 5 prongs with 600±5 mm pitch circle diameter, 50mm Dia. Black Nylon - Twin Wheel Pin castor. The product should bear IGBC Green Pro certificate for product category. And should be BIFMA member having AIOTA (All India Occupational Therapists Association) certificate. Warranty: 2 Years | |
|-----|--|--|----|
| 10. | Tea Table | Size: 4 Ft (L) x 2 Ft (W) x 1.5 Ft (H) Table with Glass Top and Bottom Shelf Colour of table Coffee black Glass thickness: 10 to 12 mm thick. Material of table wooden/plywood with good finishing Warranty: 2 Years | 01 |
| 11. | Visitor chair with arms (Superior Quality) | Fixed Visitor Chair, Overall Dimension:- 560W ±10 x 570D ±10 x 920H ±10 mm. Seat of Medium back chair is made of 12mm thick hot pressed plywood pasted with PU Moulded foam with Fabric upholstery on Seat, Used PU Moulded foam on Seat of D-45 kg/m3, Back of Medium back chair is made of Injection moulded PP material structure in Black colour upholstered with Mesh fabric, Seat Size: 490W ±10 x 410D ±10 x 60Thick. ±5 mm, Back Size:- 460W ±10 x 480H ±10. Armrest:- Fixed PP armrest in Black colour, seat & back connected with arms. Understructure:- Cantilever frame made stainless steel of 202 grade round pipe of dia. 25.4x14 gaugethickness with Plastic bushes. The product should bear IGBC Green Pro certificate for product category. And should be BIFMA member having AIOTA (All India Occupational Therapists Association) certificate. Warranty: 2 Years | 8 |
| 12. | Visitor chair with arms (Extra Superior Quality) | Fixed Visitor Chair, Overall Dimension: 590W ±10 x 590D ±10 x 860H ±10 mm. Seat of chair is made of 12mm thick Hot pressed plywood cushioned with PU Moulded foam upholstery with Prime quality Fabric, Back is made of CRCA Pipe frame back made of combination of 19mm Round Pipe 1.6mm thickness welded with 6mm HR sheet 410mm wooden plywood fixed on 410mm plate, 410mm plate welded with 8mm Pata of 150mm Size duly Powder coated minimum 50 micron thickness, Back with cushioned Mesh Fabric, bottom of the back is covered with 0.7mm x70mm thick crca powder coated sheet, | 10 |



| | | Used PU foam on Seat of D-45 kg/m3, Seat Size: 500W ±10 x 450D ±10 x 65Thick. ±5 mm, Back Size: 465W ±10 x 500H ±10 x 25Thick. ±5mm. Armrest: PU Padded Adjustable armrest fixed on PP & Metal Powder coated frame, Made of 6mm thick Powder coated HR metal plate fixed with PP frame with PU moulded Top, 7stroke height adjustment Armrest Min 260HT, Max 320HT mm, Oval Shape PU Pad Size 255W x 70D. Under structure: Cantilever frame made of 25.4mm round pipe with 14 gauge thickness duly powder coated with Plastic bushes. The product should bear IGBC Green Pro certificate for product category. And should be BIFMA member having AIOTA (All India Occupational Therapists Association) certificate for product category. And should be BIFMA member having AIOTA (All India Occupational Therapists Association) certificate for product category. And should be BIFMA member having AIOTA (All India Occupational Therapists Association) certificate for product category. And should be BIFMA member having AIOTA (All India Occupational Therapists Association) certificate. | |
|-----|--------------------------------------|---|----|
| 13. | Three Seater Visitors Chair Steel | Warranty: 2 Years Dimension: 1780 mm (W) x 790 mm (H) x 624 mm (D) Primary Material: Stainless Steel (Surface: Powder coated), Frame Material Subtype Cast Iron, Upholstery Material: Leatherette Knock Down with rounded arm rests made of Stainless steel, Powder Coated Steel Seat, Chrome plated handles and legs, MS Beam in Black Colour. Free Assembly Design: The ergonomically design to provide lumbar support Weight handling capacity: 325-350 kg Warranty: 2 Years | 02 |
| 14. | Almirah | Size 6.5 ft (H) X 3 Ft (W) X 18 inch (D) Construction with Prime Quality MS Steel - Top, back, side made by 22 gauge and shelves and door are made from 20 gauge thick. 5 shelves of equal height Good quality lock and key system Minimum weight 78 kg Warranty: 2 Years | 04 |
| 15. | Office table (for warden room) | Overall Size 1200 W x 750 D x 750 H mm, Table Top 25mm Duck nose profile on top(front & back) by pasting 0.6mm thick flex laminate in contrast colour, Top size 1200WX750DX25mm thickness, rest all 2 sides covered with 2mm thick PVC edge banding in contrast colour, vertical made up of 18mm thick PLPB with 2mm thick pvc edge bending, modesty panel made up of 18mm thick PLPB with 2mm thick pvc edge bending, two number of PVC wire manager hole cut out on top as per requirement, All Wooden Panels Cleaning Corner Knitted Finish, Wooden Panels, Gables & Modesty Fix Joints With Minifix Dowels & Other Fitting Equipment, All Wooden Panels Prime Quality Board With ISI Marked, Legs Of The Table Hard Rubber Shoes. One Drawer Unit required with table. | 02 |

An .

| | Glass thickness: 10 to 12 mm thick. | |
|--------------------|---|-----|
| 16. Computer table | Warranty: 2 Years Overall Size 1200WX600DX760 ,Table Top 18mm | 03 |
| | Thick PLPB Board (BSL) With 2mm Thick Pvc | |
| | Edgebanded Finish With As Per Approved Laminate Shade, Top Supported Under structure Of Table Gable - | |
| | End (BSL) Made Of Prime Quality 18mm Thick PLPB | |
| | Board, Top Size 1200W X 600DX18mm & Gable - End | |
| | Size 550D X 740H, Pencil Drawer Size 390W X 400D | |
| | X 150H, Table Right Hand Side Provided Pencil Drawer | |
| | With Lock & Handle Other Provision One No Of Open | |
| | Shelve , Sliding Keyboard Tray size | |
| | 720WX350DX18mm Used Telescopic Channel With All | |
| | Fittings, One Shelve Size 746WX300DX18mm Thick (| |
| | BSL) PLPB Board With 2mm Thick Pvc Beading, 7mm | |
| | High Pvc Buffers Screw With Gable - end, All Wooden | |
| | Panels Cleaning Corner Knitted Finish, All Wooden | |
| | Panels , Gables & Modesty Fix Joints With Minifix | |
| | Dowels & Other Fitting Equipment, All Wooden Panels | |
| | Prime Quality Board With ISI Marked, Table Provided | |
| | Wooden Keyboard Tray & One No Of Shelve, Table | |
| | Shall Be Accommodate One Drawer, One Shelve | |
| | Provided For UPS, All Wooden Panels Cleaning Corner | |
| | Knitted Finish, All Wooden Panels, Gables & Modesty | |
| | Fix Joints With Minifix Dowels & Other Fitting | |
| | Equipment, All Wooden Panels Prime Quality Board | |
| | With ISI Marked.The product should bear IGBC Green | |
| | Pro certificate for product category. And should be | |
| | BIFMA member having AIOTA (All India Occupational | |
| | Therapists Association) certificate. | |
| 15 D C' | Warranty: 2 Years | 0.2 |
| 17. Refrigerator | Compressor: Smart Inverter Compressor | 03 |
| (Double door) | Capacity: 330 litre or above | |
| | Rating: 3 Star or higher Door alarm: Yes | |
| | Express freeze: Yes | |
| | ISO Marked | |
| | Compression warranty: 10 Years | |
| | Make and model be quoted, Clearly | |
| 11 | | |

Signature of bidder with seal

R

ANNEXURE - VIII FINANCIAL BID

| | Date: | |
|---|------------|--|
| To, The Dean, COA, Peethampuri (Neem Ka Thana) | | |
| We, the undersigned, declare that: | a Dogument | |

- a. We have examined and have no reservations to the Bidding Document.
- b. We understand that you are not bound to accept the lowest evaluated bid or any other bid that you may receive.
- c. We offer to supply the following Goods and Related Services in conformity with the Bidding Document and in accordance with the specifications, the delivery schedule and other requirements as specified in tender documents.

| S. | Name of the Item | Rate | GST | GST Amount | Total Cost |
|-----|---|-------------|-----|------------|------------|
| No. | | (Rs./ unit) | (%) | (Rs.) | (Rs./unit) |
| 1. | Mattress | | | #1 | |
| 2. | Podium | | | | |
| 3. | Classroom White Board (8 ft. x 4 ft.) | | | | |
| 4. | Classroom White Board (5 ft. × 4 ft.) | | | | |
| 5. | Notice Board with Glass Door (4 ft. × 3 ft.) | | | | |
| 6. | Revolving officer Chair | | | | |
| 7. | Executive Chair | | | | |
| 8. | Office Table for Dean office | | | | |
| 9. | Revolving officer Chair (Dean office) | | | | |
| 10. | Tea Table | | | | 8 |
| 11. | Visitor chair with Arms (Superior Quality) | | | | |
| 12. | Visitor chair with arms (Extra Superior Quality) | | | | |
| 13. | Three Seater Visitors Chair Steel | | | | |
| 14. | Almirah | | | | |
| 15. | Office table (for warden room) | | | | |
| 16. | Computer table | | | | |
| 17. | Refrigerator (Double door) | | | | |

| Name of the Firm | |
|---------------------|----------------|
| Address of the Firm | |
| | |
| Bank Details | Bank & Branch: |
| | A/c No.: |
| | IFSC Code: |