

Dr. Udai Bhan Singh

Prof.&Dean

COLLEGE OF AGRICULTURE



(S.K.N. Agriculture University-Johner)

Bhusawar: Bharatpur (Rajasthan)

Mob: 9414714234

Email: dean.coabhusawer@sknau.ac.in

No.F.()/Estt./Dean-COAB/2025/1060

Dated:17-2-2025

Open Tender Notice

Sealed tenders are invited from the reputed firms/OEM for the supply of Laboratory items. The tender downloaded from state procurement portal Website www.sppp.rajasthan.gov.inon university website www.sknau.ac.in or will be available in working days from 17-2-2025 to 24-2-2025 up to 10.30am. The tender will be accepted up to 24/2025 (11.00 a.m.) and will be opened on the same day at 11.30a.m. by the competent committee at College of Agriculture, Bhusawar, Bharatpur. Approximate purchase can be increased / decreased and F.O.R. at College of Agriculture, Bhusawar (weir) Bharatpur. The detail information regarding above mentioned tender is available at our office and website www.sknau.ac.in. The undersigned reserve the right to Reject/Accept tender without assigning any reason of thereof.

S.No	Particular	Quantity	Tender Fee	Amount Rs	EMD @2%
1	Laboratory	As per	500/-	559500/	11190/-
2	Furniture & Fixture	required	500/-	350000/	7000/-

S.No/COAB/Estt/2025/

Dated

DEAN

Copy to

- 1. PS To Hon'ble Vice Chancellor, SKNAU, Jobner
- The Comptroller, SKNAU, Johner to request for nominated member on dated 24/2/2025for complete tender.
- 3. The treasurer, SKANU, Jobner
- 4. Incharge CIMCA, SKNAU, Jobner to upload tender for www.sknau.ac.in and sppp.rajasthan.gov.in portal.
- 5. Convenor, Tender Committee, COA, Bhusawar
- 6. Commissioner, Information and Public Relation Directorate Jaipur to send tender for publishing in local Newspaper Like Dainik Bhaskar/ Patrika/ Rastradoot in Bharatpur division in lowest rate.
- 7. Account section COA Bhusawar
- 8. All Notice Board/COA/Tahsil office/Panchayat office Bhusawar
- 9. Gourd file

DEAN
DEAN
College of Agriculture
Bhusawar Bharatpur

Terms and condition for purchasing of items at College of Agriculture

Important annexure/documents except financial bid should be kept in **envelope 1** along with tender fee DD if not already paid to this office and earnest money DD.

- 1 Envelope 2 should contain only financial bid and it will be opened only when technical bid of the tenderer is passed
- 2 Submit a sealed envelope containing both envelope 1 and 2 to the office on or before 11:00 AM of 24-2.2025
- 3 The Firm has to submit valid PAN and GST certificate (photocopy)
- 4 The firm must submit three years of turnover certified with CA. or GST Return
- 5 The firm must submit forfeit certificate
- 6 The firm must enclose Authorised Dealer/ OEM Certificate
- 7 The firm deposit 2 % Security or EMD Rs. 11190,7000/- amount with tender documents and supply item within a 15 days at COA Bhusawar Bharatpur.
- 8 Free Installation and warranty of 3 yr of supply of instrument
- 9 The value of the work order against this tender will be maximum 9.095 lakhs. It will be increase and decrease as per budget.
- 10 The firm should enclose last two-year Instruments & satisfactory installation report.
- 11 Payment will be released after satisfactory installation and no advance payment will be made.
- 12 The undersigned reserve the right to Reject/Accept tender without assigning any reason of thereof.
- 13 The Rate should be quoted F.O.R College of Agriculture, Bhusawar (weir) Bharatpur
- 14 Tender for purchasing of items for College of Agriculture should be mentioned on the top of envelope and should be sent in sealed envelope addressing Dean, College of Agriculture, Bhusawar Dist. Bharatpur(Rajasthan).
- No advance payment will be made to the tenderer and the money will be released only after satisfactory completion of work i.e. supply, installation and verification by purchaser.
- 16 The tenderer must put his signature and stamp on every paper of tender including terms and condition
- 17 The prices should be type written clearly in ink against each items. Cutting should be avoided as erroneous and overwriting are not permissible.
- Any lapse in time may lead to action against the tenderer under RTPP 2012, RTPP 2013 and other rules laid down by Rajasthan Govt. from time to time and the penalty (L.D.) will be charged.
- 19 The material should adhere to the specification provided in G- Schedule.
- The tender will be available from day of publishing to 11:00 AM of 17-2-2025 which can be submitted upto 11:00 AM on or before 24.2.2025 and the tender will be open at 11.30 AM on 24-2.2025. Incomplete tenders and tenders received late will not be entertained
- Any other terms & conditions except cited above will be as per RTPP 2012, RTPP 2013, Rule no.68 of General Finance and Account, Raj. Govt. notification dated 19.11.2015 and other guidelines provided by state government from time to time
- The firms from Rajasthan state and outside Rajasthan state which are not included in price preference status by General Finance and Audit rules of Rajasthan, while comparing the price quoted the Rajasthan sale tax/VAT will not be included and only central sale tax will be included. Which means the sale tax/VAT will not be included in price quoted by local firms while central sale tax will be included in price quoted by firms which are not in price preference status of Rajasthan Government. Liquidated damage (2.50 to 10 Percent) will be recovered as per Page 4 General finance and audit rules if the material is not supplied within time as per the following.
 - a) Lapse of one fourth period than the stipulated time 2.50%
 - b) Lapse of one fourth periods but not half than the stipulated time 5.00%
 - c) Lapse of half to three fourth period than the stipulated time 7.50%
 - d) Lapse of more than three fourth period than the stipulated time 10%
- The tenderer will have to sign the "Fall clause" (Appendix J attached) stating that he will have to supply the material to other departments, corporations, boards, PSUs on the same minimum quoted

C Ceres

rates as to the college till the contract expires.

- 24 The tenderer shall give an undertaking that his firm has not been black listed (Appendix I attached). If it is found otherwise then bid security, performance security will be seized and court case will be registered against him.
- 25 Lowest price quoted will not qualify for selection of tender but quality and desired standards will also be considered.
- 26 The product must be certified
- 27 The rates quoted must be Freight on Receipt (FOR) at College of Agriculture, Bhusawar otherwise installation, cost of packing, forwarding, freight etc. and all other charges be given. No amount other than that is quoted in financial bid will be paid.
- 28 All taxes and excise duty if any to be charged extra should be mentioned clearly
- Supporting documents shall be verified with originals during the of tender process. Supporting documents may also be sought as proof. Further, verifications of documents, claims, etc., may also be done by department any time even before/during or after finalization of tender bid/process
- 30 The Bid Security amount of the successful bidder may be adjusted in performance security of the bidder
- 31 Tender will be cancelled if the security deposit or tender fee is not submitted.
- 32 Successful bidder will have to deposit performance security amount of @ 5 % of the order given to the bidder in the form of DD favoring Dean, College of Agriculture, Bhusawar. Page 5
- 33 Dean, College of Agriculture, Bhusawar reserves the right to seize in part or whole amount of Performance security, Bid Security money if the tenderer violates the terms and conditions or fails to complete any provision
- 34 The guidelines for number/figure mistakes in financial bids: The tender committee will rectify the numerical mistakes as per the following rules
 35
 - a If there is mistake in multiplying unit price with quantity, the unit price will be considered and corrections will be made in grand total. If committee feels that there is mistake in decimal place of unit price then grand total will be considered & corrections will be made in unit price.
 - B If there is mistake in addition and subtraction of various units then unit prices will be considered and corrections will be made in total price.
 - C If there is mistake in figures and words then the words will be considered unless there is any mistake in writing the numbers. The figures will be considered as per a) & b) listed above.
- 36 Any accident/ mishap during the execution of the job will be the responsibility of the agency concerned, which will get the necessary insurance done at their cost.
- 37 The tender form should be filled as per given terms and conditions.

Technical Bid

- 1 There will be no exception in EMD in the bid. The bidder must submit EMD.
- 2 Installation, Commissioning and Testing of goods will be carried out completely by the supplier.
- 3 Supplier submitted the installation report supply in the any Institution last 5 year.
 Supplier/OEM are submitted the customer care (Helpline Number) office and headquarter situated in all over India
- 4 The supplied items are expected to have the manufacturer's logo and product details embossed/printed on it.
- 5 Department is competent to cancel the Tender without quoting any reason thereof.
- 6 After the award of contract, the bidder is expected to execute the order before the ending of financial year 2024-2025.
- 7 Installation report submitted by firm of particular items
- 8 Particulars items of branded company
- 9 Demonstration of particular items at the time of supply within 15 days
- 10 All the document attached in series of specification

O Com

Declaration	by the	Bidder re	egarding	Qualification
--------------------	--------	-----------	----------	---------------

In relation to my/o	our Bid	submit	ted to				for	procu	rement of
	in	respons	se to	their	Notice	Inviting	Bid	No.	
Dated 1	. I/We	hereby	declare	under	Section	7 of Rajas	than	Trans	parency in
Public Procurement	Act, 20	12, that:							

- 1. I/We possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entity;
- 2. I/We have fulfilled my/our obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in the bidding document;
- 3. I/We are not insolvent in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
- 4. I/We do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
- I/We do not have a conflict of interest as specified in the Act, Rules and Bidding Document, which materially affects fair competition;

Date:

Place:

Name:

Designation:

Signature of Bidder

000

DECLARATION BY TENDERERS

We hereby declare that we are Bona-fide manufacturer/Authorized whole sellers/Sole distributors/Authorized Dealer Distributor/Sole Selling/Marketing Agent in the Goods/Store/equipment's/item for which we have tendered. If this declaration is found to be incorrect then without prejudice to any other action that may be taken, our security may be **forfeited** in full and the tender if any to the extent accepted may be cancelled.

Signature of Tenderer with seal

Clerk

DECLARATION BY TENDERERS

I/We hereby declare that we are not blacklisted by any Govt. Department/PSU/Company from last 3 years, wherever we have supplied placement work/service unit, for supplying substandard goods/services to these units. I/We also declare that I/We are not defaulter, insolvent in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons.

Signature of Tenderer with seal

Con

FALL CLAUSE CERTIFICATE

This is to certify that we have offered the maximum possible discount to you in our Quotation No.

dated	
The prices charged for the stores supplied unde	r Rate Contract should under no event be higher than
lowest prices at which the party sells the items o	f identical description to any other Govt. Organization/
PSU's/ Central Govt,/State Govt. Autonome	ous bodies/Central/State Universities/Central/State
Educational Institutions during the period of cont	ract failing which the "FALL CLAUSE" will be applicable.
In case, if the price charged by our firm is more	, purchasing will have the right to recover the excess

charged amount from the subsequent/unpaid bill of the supplier.

Seal and Signature of the Tenderer

Cay

[See rule 83] Memorandum of Appeal under the Rajasthan Transparency in

Public Procurement Act, 2012

Appeal Noof
Before the (First / Second Appellate Authority)
1. Particulars of appellant:
(i) Name of the appellant:
(ii) Official address, if any:
(iii)Residential address:
2. Name and address of the respondent(s):
(i)
(ii)
(iii)
 3. Number and date of the order appealed against and name and designation of the officer / authority who passed the order (enclose copy), or a statement of a decision, action or omission of the procuring entity in contravention to the provisions of the Act by which the appellant is aggrieved: 4. If the Appellant proposes to be represented by a representative, the name and postal address of the representative: 5. Number of affidavits and documents enclosed with the appeal: 6. Grounds of appeal:
(Supported by an affidavit)
7. Prayer:
Place
Date

A Cer

Appellant's Signature

Annual Turnover

Certificate We hereby declare that the annual turnover of our firm is as under.

S.No. Financial Year Turnover (In Lakh)

1 2021-2022

2 2022-2023

3 2023-2024

Total Turn Over

Avg. Turn Over

If this declaration is found to be incorrect then without prejudice to any other action that may be taken, our security may be forfeited in full and the tender if any to the extent accepted may be cancelled.

Signature of Tenderer with seal

Verified by C.A. with UDIN

Q Cer

Affidavit (on non-judicial stamp paper of 100/-)

	I								
Propri	etor/Partner/	Director of M	/s		Do her	eby solemn	ıly affirm an	d declare	that
(a) M	y/our above	noted ente	rprise M/s		Has	been iss	sued acknow	wledgeme	nt of
En	trepreneurial	Memorand	um Part-II	by th	e Distric	t Industries	s Center		The
acl	knowledgment	No. is	D	ated		And has be	en issued fo	or manufa	acture
of	following item	s:							
(i)									
(ii)									
(iii)									
(iv)									
(v)									
(vi)									
(b)	My/our above	noted ackno	wledgement	of Entrep	reneurial N	/lemorandu	m Part-I	II has not	been
cancel	led or withdra						enterprise		ularly
	acturing the al							0	,
©	My/our enter	prise is havin	g all the requ	isite plant	and mach	inery and is	s fully e	equipped t	0
manuf	acture the abo					,		1	
					Signat	ure of prop	rietor /Dire	ctor	
					-		ory with Rul		
						Stamp ar	•		
						P			
				Verificatio	n				
	I	S/o				ing at		Proprie	tor /
Partne	r/ Director of	M/s	verify ar	nd confirn	that the	contents at	(a). (b) and	d (c) abov	e are
true an	d correct to th	e best of my l	nowledge ar	nd nothing	has been	concealed t	here in So 1	heln me Go	nd.
			J					p inc de	, u.

Deponent

Cley

COLLEGE OF AGRICULTUREG-Schedule

(S.K.N. Agriculture University-Jobner) Bhusawar: Bharatpur (Rajasthan)

Specification of Laboratory Equipment/other items under category

S. No.	Equipment	Qnt.	Specifications	
1	Cooling Chamber for Preserve Microbes	1	1. Outer Wall: Made of electro galvanized steel powder coated 2. Inner Chamber: Made of Stainless Steel 304 Grade 3. Door: Double Door system with Inner Glass Door 4. Insulation: Glass Wool between Outer & Inner Wall 5. Temperature Range: 02°C 6. Display: Digital LCD / LED (Temp) 7. Air Circulation: Through Blower 10. Temperature Controller: Microprocessor Based PID Controller 11. Illumination: Through FL, 12. Shelves: 2 13. Whole unit is mounted on Heavy-duty lockable Castor wheels 14. Power Requirement: 220 / 240 V AC Single Phase 15. Capacity (Liters): 95 16. Certification: Certification-ISO17025,ISO 9001, BRCGS, ISO 37001, ISO 45001,CE,GMP,CE, Green guard	
2	Pan Evaporimeter	1	Material Low carbon stainless steel, type 304, 18 gauge Construction Heli welded, 1/2-in. drain plug NPT female coupling Inside Diameter120.6 cm (4 in.) Inside Depth25 cm (10 in.) Wall Thickness0.119 cm (0.047 in.) Weight22 (48 lb) Volume Adding 29.15 L (7.7 gal) will raise water level in pan by 2.54 cm in.).	
3	Self-recording Rain gauge	2	Internal diameter of gunmetal collector ring: 203.4 mm Collector Area: 325 cm2 (10 mm), Diameter of clock drum: 93.3 mm, Rainfall Capacity: Unlimited	
4	Sunshine Recorder	2	Adjustment for latitude: 0 to 65° N or S after selecting correct model, Sphere: 101.6mm dia (±1.3mm), Focal length for Sodium D light: 74.9mm ±0.25mm, Dimensions: 240 x 187 x 165mm, Weight: 4.3kg	
5	Stevenson's Screen	02	A single screen may measure 76.5 by 61 by 59.3 cm (30.1 by 24.0 by 23.3 in) and a double screen 76.5 by 105 by 59.3 cm (30.1 by 41.3 by 23.3 in). The unit is either supported by four metal or wooden legs or a wooden post	
6	5000/6500 Feed and Forage Analyzer	1	•	
7	Insect collection box	30	For pinning of insects on bottom. White Hardwood / Teakwood with glass in wooden frame on top & MDF sheet bottom are nicely polished. Bottom lined with 8 mm thick soft pinning, washable EVA Sheet. Inside glazed white. Raised wooden wall with holes for insecticide inside bottom to make box air tight and pest proof. Fitted with brass hinges, index card holder & clips or 2.5 to 3 cm wax layer on bottom for proper pinning Size: 45*30*6.5cmCertification-ISO	
8	Insect stitching box	30	Board adjustable along the support to obtain desired width for different size insects. Board top & groove fitted with 8 mm thick EVA sheet. Groove adjustable from 0 to 12 mm with the help of brass fly-nuts. Material used is teakwood and finished in spirit polish. Size 35x12 cm and thickness 8 mm	
9	Micro pipette	2	(10-200 μl& 100-1000 μl) - Large and readable display that is fully visible during pipetting; - Innovative soft grip preventing heat transfer to the pipette inside; - Low pressure required to use the pipette reduces the risk; - Simple click mechanism for changing the pipette volume; - Option of autoclaving the whole pipette (disassembling not required). Recommended autoclaving process: 15 minutes at 121°C temperature, 1.05 bar pressure; - Tip ejector collar is made of PVDF which has a high chemical resistance (also at high temperatures) and low susceptibility to microorganisms expansion; - Ultra UV resistance; - Convenient button for changing the tips;	
10	Spade	50	Size LWH 75x15x14-15 weight 1.5-2 kg without wooden handle	



11	Kniirni	50	Knurba with Steel Handle LPVU Grib1 13.3 & 7.5cm 15.25 & 3 1
12	Khurpi, Rake 3-point fork,	50 10	Khurpa with Steel Handle (PVC Grip) 13.3 X 7.5cm (5.25" X 3") Digging Fork Plastic Handle ISI Marka
13		10	Color black style classic blade and handle material carbon steel ISI Marka
13 14		2	600 W 40 cm Electric Grass Trimmer, Grass Cutting Machine for Agriculture, FEGT-1400 also known as a string trimmer or weed eater, is a versatile outdoor power tool designed for trimming grass, weeds, and other vegetation in areas where a lawnmower may not reach effectively. It consists of a long shaft with a cutting head at the bottom, powered by an engine or motor. Instead of using a solid blade, grass trimmers utilize a flexible monofilament line (often nylon) that rotates at high speed to cut through vegetation. Key Features of a Grass Trimmer: Shaft: The shaft of a grass trimmer is typically made of lightweight materials such as aluminum or reinforced plastic. Some models have adjustable shafts to accommodate different user heights or to convert between trimming and edging modes. Cutting Head: The cutting head is located at the end of the shaft and houses the cutting mechanism. It may be a bump-feed head that releases more line when tapped on the ground, an automatic feed system, or a fixed-line head. Cutting Line: Instead of a blade, grass trimmers use a cutting line, usually made of nylon. The line rotates at high speed, cutting through grass and weeds. The cutting line is replaceable and comes in various thicknesses and shapes. Engine/Motor: Grass trimmers can be powered by gasoline engines, electric motors (corded), or rechargeable batteries (cordless). Gasoline-powered trimmers offer mobility, while electric models are generally quieter and require less maintenance. Handle and Controls: Grass trimmers have handles for control and maneuvering. Some models feature adjustable handles for enhanced comfort. Controls include a trigger or switch for starting and stopping the trimmer. Safety Guard: A safety guard or shield is often present around the cutting head to protect the user from debris thrown by the trimmer. Edging Capability: Many grass trimmers can be rotated or adjusted to function as edgers, allowing users to create clean edges along sidewalks and driveways. Common Uses of a Grass Trimmer: Trimmi
15	Moisture meter grain	1	batteries Sample size: 250 CC approx (150 grams) Display: 3 1/2 Liquid Crystal Display (LCD) Accuracy: 0.2% Sample Size: 250 CC (150 gram) Power Consumption: 0.03 watts approx Size: 125H X 150W X 210D mms Measurement time: one sample per minute. Application: % Moisture
16	Plant press	15	measurement in Wheat Paddy, Rice, Mustard, Moong, Urd, Bajara and Maize only This 12" x 18" size is most commonly used by professional botanists to preserve whole plants. Sturdy construction features plywood ends with hardwood reinforcing strips to apply even pressure. Durable nylon straps with non-rusting plastic buckles provide plenty of pressure and length for adding more driers and ventilators. Includes 12 driers made of heavy blotter paper. Includes 12 ventilators of corrugated cardboard
17	Acrylic sandwich sheet board	30	Premium Acrylic Material: Clear and polished finish for a professional, upscale appearance. Weather Resistant: Ideal for outdoor settings like sidewalks, store entrances, and open-air events. Double-Sided Display: Maximize visibility with two panels for messages, promotions, or graphics. Customizable Graphics: Easily add or change vinyl decals, printed inserts, or digital prints on both sides. Easy to Clean & Maintain: Smooth surface allows for easy wipe-down and upkeep. Light weight & Portable: Designed for effortless transportation and storage when not in use. Sturdy A-Frame Design: Provides excellent stability, even in high-traffic areas. 2x3 feet with clamp and fitting. Material-Acrylic, single board type 2D, lighting type LED, rectangular installation- wall mounted
18	Cup anemometer	1	Range, 0 to 45 m/s (0 to 100 mph); Starting Threshold, 0.45 m/s (1.0 mph);
19	Bucket and screw agar	5 each	Accuracy, 0.11 m/s (0.25 mph) or 1.5%; Contact Rating, 10 mA (maximum). Soil Augers sample most soil types, feature an open bit design, and are available in 3in (76mm) and 4in (102mm) diameters The soil augers, along with extensions, cross handles, and quick-connect pins, are

Cay

-1-			available with either carbon-steel or stainless-steel construction. Auger heads with hex fittings attach easily to the extensions and cross handles using quick-connect pins
20	Lux meter	2	Functions: MAX / MIN, Backlight, Auto Power Off Range: 0 ~ 200,000 lux / 0 ~ 20,000 fc Accuracy: ± 5% rdg + 10 dgt (< 10.000 lux / fc) ± 10% rdg + 10 dgt (>10.000 lux / fc) Resolution: 0.1 lux or 0.1 fc Selection: lux / fc Power: 9 V Battery
21	Moisture Box	50	Aluminum moisture box is made of aluminum sheet with tight lid to retain moisture. It is available in size 7-9 cm diameter x 4-6cm height. Flat-bottom, Seamless aluminum, Tight fitting cover
22	RO & Water Cooler	1	200 LPH Commercial RO Water Purifier Plant, 200 Liter with Auto Shut Off, Tds Adjuster, Full Stainless Steel Body, Works Upto 3000 tds Quantity: 200 LPH Commercial RO Water Purifier Plant Full Stainless Steel Body Warranty Description: 2 Year On Electrical Parts (I.E. Smps, Pump) Warranty Service: Replacement Of Defective Part.; Purification Method: Reverse Osmosis; Included Components: Ro Water Purifier And All Installation Accessories Storage Capacity:150 L Dimensions: (30D x 20W x 20 H) Centimeters Color: Silver, Body Material Stainless Steel Energy efficient compressor, Tropicalized Machine, Compact Design, eco friendly refrigerant, Electricity saving up to 40% Long cool retention, compact design
23	CCTV Camera with all accessory and installation	20	Privacy Mask 4 areas Noise Reduction 3D DNR ROI Support (4 areas) Audio Compression G.711a, G.711Mu, PCM, G.726, AAC Bit Rate Control CBR/VBR Bit Rate H.265: 12 kbps-4096 kbps, H.264: 32 kbps- 4096 kbps Human body Detection Support Protocol IPv4, IPv6, HTTP, TCP, UDP, ARP, RTP, RTSP, RTCP, RTMP, SMTP, FTP, DHCP, DNS, DDNS, NTP, Multicast, ICMP, IGMP, ONVIF (Profile S; Profile T), CGI Intelligent Search Work together with Smart NVR to perform refine intelligent search, event extraction and merging to event videos SDK and API Support Ethernet RJ-45 (10/100Base-T) Day/Night Color/B/W Alarm Event Network disconnection, IP conflict, illegal access, motion detection, video tampering, audio detection, security exception, SMD (human) User/ Host 6 Users (Total bandwidth: 24 M) Cyber Security Video encryption, Configuration encryption, Digest, WSSE, Account lockout, Security logs, Generation and importing of CA certification, HTTPS, Trusted boot, Trusted execution, Trusted upgrade Mirror Function Support Browser IE, Chrome, Firefox smart phone iPhone, iPad, Android Phone Iris Control Fixed IR Control Auto, Manual Image Rotation 0°/90°/180°/270° (Support 90°/270° with 1080p resolution and lower) IR Number 1 (Multi-core (IR + warm) light) Audio Built-in Mic Smart IR Support IR IR Range of 30 Mtr. Warm Light Distance Warm Light Range of 30 Mtr. Power Source 12 VDC/PoE (802.3af) Power Consumption Basic: 1.4 W (12 VDC), 2.2 W (PoE); Max.: 3.3 W (12 VDC), 4.4 W (PoE) (H.265 + intelligence on + warm light intensity) Weatherproof Standard IP67 Operating Temperature -40 °C to +60 °C (-40 °F to +140 °F) Operating Temperature -40 °C to +60 °C (-40 °F to +140 °F) Operating Humidity ≤95% (RH), non-condensing

Day

24	Table and Chair	5	Table Approximate Size 180-182cm x 90-120cm x 77cm, Colour Teak Minimum two drawers and locker Material – Compressed Wood panels with laminated melamine surface shall be scratch proof Specify Load Carrying Capacity Material: Prelaminated MDF board with proof Table with side cabinet 3 drawer size: 36"x18"x30" with Keyboard tray
			Chair Dimension 70x26x31 cm heavy chair Leatherette High Back Recliner Office Chair, upholstered with fabric or synthetic leather high resilience polyurethane foam adjustable armrest seat backtalking ration 1:2 adjustable backrest pedestal with twin wheel castors (W) 48 cm (H)76 cm D 48 Cm

Clay

College of Agriculture, Bhusawar
Supply of Laboratory Instruments
Technical specification

S.N	Items	Specification	Make/Model of	Proof
0	rems	Specification	item/ goods offered	(submitted at page No.)
1	Cooling Chamber for Preserve Microbes	As per specification given		
2	Pan Evaporimeter	As per specification given		
3	Self-recording Rain gauge	As per specification given		
4	Sunshine Recorder	As per specification given		
5	Stevenson's Screen	As per specification given		
6	Feed and Forage Analyzer	As per specification given		
7	Insect collection box	As per specification given		
8	Insect stitching box	As per specification given		
9	Micro pipette	As per specification given		
10	Spade	As per specification given	*	
11	Khurpi,	As per specification given		
12	Rake 3-point fork,	As per specification given		
13	Sickle slasher	As per specification given		
14	Weeder batteries/ electric operated	As per specification given		
15	Moisture meter grain	As per specification given		
16	Plant press	As per specification given		
17	Acrylic sandwich sheet board	As per specification given		
18	Cup anemometer	As per specification given		
19	Bucket and screw agar	As per specification given	3 7	
20	Lux meter	As per specification given		
21	Moisture Box	As per specification given		
22	RO and Water Cooler	As per specification given		
23	CCTV Camera	As per specification given		
24	Table and Chair	As per specification given		

Signature of Tenderer with seal

COLLEGE OF AGRICULTURE

(S.K.N. Agriculture University-Johner)

Bhusawar: Bharatpur (Rajasthan) Financial Bid

S.No.	Particulars / Items	Price All Tax /GST Included	If any
1	Cooling Chamber for Preserve Microbes		
2	Pan Evaporimeter		
3	Self-recording Rain gauge		7
4	Sunshine Recorder		
5	Stevenson's Screen		
6	Feed and Forage Analyzer		
7	Insect collection box		
8	Insect stitching box		
9	Micro pipette		
10	Spade		
11	Khurpi,		
12	Rake 3-point fork,		
13	Sickle slasher		
14	Weeder batteries/ electric operated		
15	Moisture meter grain		
16	Plant press		
17	Acrylic sandwich sheet board		
18	Cup anemometer		
19	Bucket and screw agar		
20	Lux meter		
21	Moisture Box		
22	RO and Water Cooler		
23	CCTV Camera		
24	Table and Chair		