



उद्यानिकी महाविद्यालय

(श्री कर्ण नरेन्द्र कृषि विश्वविद्यालय)



दुर्गापुरा, जयपुर-302018

क्रमांक: एफ. () श्रीकनकृषिवि/उद्या. महा./स्टोर/2025/1057

दिनांक: 17.03.2025

18

LIMITED TENDER NOTICE

Sealed tenders are invited from the registered reputed firms/dealers for following for laboratory use for the ANRF-SERB sponsored at COH, Durgapura Jaipur. Interested firms/tenderers may submit their rates/tender to this office latest by 11:00 AM on 24.03.2025 in annexure A. The tender will be opened by the committee on the same day at 1.30 P.M. Approximate cost of items Rs. 179780/-.

S. N.	Item with Specifications	Quantity	Estimated price (Rs.)
1.	Lab equipment's, laptop and printer as per Annexure- A	As mentioned in Annexure- A	Rs. 179780.00

1. The tenders must be submitted in properly sealed envelope duly marked tender for the supply for.....
2. The rates quoted must be F.O.R. destination at COH, Durgapura, Jaipur.
3. The undersigned is not bound to accept the lowest tender and reject any tender or any part of the tender without assigning any reason therefore.
4. The responsibility of GST/other charges, tax etc. applicable as per Govt. rules will be borne by the supplier.
5. GST and PAN copies are to be enclosed with tender.
6. The firm will deposit 2% EMD of estimated cost in form of DD in favour of Dean, College of Horticulture, Durgapura, Jaipur.
7. Success bidder is required to deposit performance security @ 5% of ordered value and EMD may be adjusted in performance security. Guarantee/warranty period will be for one year.


17-3-2025
DEAN

Copy:-

1. The Convenor, Tender Committee, COH, Durgapura, Jaipur.
2. The Members of Tender Committee, COH, Durgapura, Jaipur.
3. The DDO/Accts. Section, COH, Durgapura, Jaipur.
4. The Incharge, CIMCA, SKNAU, Jobner to upload the limited tender on SPPP Govt. portal and SKNAU, Jobner website.
5. Tender File.
6. Notice Board, COH, and RARI, Durgapura, Jaipur.


17-3-2025
DEAN

List of Lab Equipment's, Laptop & printer

S.No	Name of Equipment's	Specification	Qty.	Quotated Rate per item including all taxes																																										
1	Digital pH Meter & EC Meter	<p>Specifications pH Meter:</p> <table border="1"> <tr> <td>pH Range</td> <td>: 0 to 14.00 pH</td> </tr> <tr> <td>Millivolt Range</td> <td>: 0 to ±1999 mV</td> </tr> <tr> <td>Slope Correction</td> <td>: 85% to 115%</td> </tr> <tr> <td>Resolution</td> <td>: 0.01 pH, 1 mV in mV mode</td> </tr> <tr> <td>Repeatability</td> <td>: ±0.01 pH ±1 digit for pH ±1mV ±1 digit for mV</td> </tr> <tr> <td>Standardization Range</td> <td>: ±1 pH (Approx)</td> </tr> <tr> <td>Temp. Compensation</td> <td>: 0 to 100° C Dig. Display (Manual)</td> </tr> <tr> <td>Display</td> <td>: 3½-Digit Red LED Seven Segment with automatic polarity & decimal point</td> </tr> <tr> <td>Power</td> <td>: 230V±10% 50 Hz</td> </tr> <tr> <td>Accessories</td> <td>: Combined Electrode Stand & Clamp</td> </tr> <tr> <td colspan="2">Warranty: 2 years</td> </tr> </table> <p>Specifications EC Meter: Automatic 0.1 Digital Conductivity Meter</p> <table border="1"> <tr> <td>Source Frequency</td> <td>: 100 Hz or 1 KHz automatically selected</td> </tr> <tr> <td>Conductivity Range</td> <td>: 0 µS to 200 mS with 1.0 cell constant (5 decadic ranges)</td> </tr> <tr> <td>Temperature</td> <td>: 0° C to 100° C (Manual)</td> </tr> <tr> <td>Display</td> <td>: 3 digits LED</td> </tr> <tr> <td>Resolution Conductivity</td> <td>: 0.1µs</td> </tr> <tr> <td>Accuracy Conductivity</td> <td>: ±1% of f.s. ±1 digit (Conductivity)</td> </tr> <tr> <td>Cond. Cell Compensation 1 Cell Constant</td> <td>: 0.9 to 1.1</td> </tr> <tr> <td>Power</td> <td>: 230 V ±10% 50 Hz</td> </tr> <tr> <td>Accessories</td> <td>: (1) 1 Cell Constant Cell (2) Clamp & Stand</td> </tr> <tr> <td colspan="2">Warranty: 2 years</td> </tr> </table>	pH Range	: 0 to 14.00 pH	Millivolt Range	: 0 to ±1999 mV	Slope Correction	: 85% to 115%	Resolution	: 0.01 pH, 1 mV in mV mode	Repeatability	: ±0.01 pH ±1 digit for pH ±1mV ±1 digit for mV	Standardization Range	: ±1 pH (Approx)	Temp. Compensation	: 0 to 100° C Dig. Display (Manual)	Display	: 3½-Digit Red LED Seven Segment with automatic polarity & decimal point	Power	: 230V±10% 50 Hz	Accessories	: Combined Electrode Stand & Clamp	Warranty: 2 years		Source Frequency	: 100 Hz or 1 KHz automatically selected	Conductivity Range	: 0 µS to 200 mS with 1.0 cell constant (5 decadic ranges)	Temperature	: 0° C to 100° C (Manual)	Display	: 3 digits LED	Resolution Conductivity	: 0.1µs	Accuracy Conductivity	: ±1% of f.s. ±1 digit (Conductivity)	Cond. Cell Compensation 1 Cell Constant	: 0.9 to 1.1	Power	: 230 V ±10% 50 Hz	Accessories	: (1) 1 Cell Constant Cell (2) Clamp & Stand	Warranty: 2 years		1 each	
pH Range	: 0 to 14.00 pH																																													
Millivolt Range	: 0 to ±1999 mV																																													
Slope Correction	: 85% to 115%																																													
Resolution	: 0.01 pH, 1 mV in mV mode																																													
Repeatability	: ±0.01 pH ±1 digit for pH ±1mV ±1 digit for mV																																													
Standardization Range	: ±1 pH (Approx)																																													
Temp. Compensation	: 0 to 100° C Dig. Display (Manual)																																													
Display	: 3½-Digit Red LED Seven Segment with automatic polarity & decimal point																																													
Power	: 230V±10% 50 Hz																																													
Accessories	: Combined Electrode Stand & Clamp																																													
Warranty: 2 years																																														
Source Frequency	: 100 Hz or 1 KHz automatically selected																																													
Conductivity Range	: 0 µS to 200 mS with 1.0 cell constant (5 decadic ranges)																																													
Temperature	: 0° C to 100° C (Manual)																																													
Display	: 3 digits LED																																													
Resolution Conductivity	: 0.1µs																																													
Accuracy Conductivity	: ±1% of f.s. ±1 digit (Conductivity)																																													
Cond. Cell Compensation 1 Cell Constant	: 0.9 to 1.1																																													
Power	: 230 V ±10% 50 Hz																																													
Accessories	: (1) 1 Cell Constant Cell (2) Clamp & Stand																																													
Warranty: 2 years																																														
2	DSLR Camera	24.2 effective megapixels, 23.5 x 15.6 mm DX format CMOS sensor, 3.2-inch LCD vari-angle monitor, Expeed 4 processor, Built-in WiFi, Full HD (1920 x 1080) movie, frame rate selectable from 60p/50p/30p/25p/24p, Comes with a 18-55mm VR kit	1																																											

Ben

		lens, BF-1B body cap, BS-1 accessory shoe cover, DK-25 rubber eyecup		
3	Laptop i5 12th generation	Processor Make: Intel Processor Generation : 12 th or higher Operating System (Factory Pre-Loaded) Windows 11 & MS Office 2021 OS Certification: Windows RAM Size (GB): 8 RAM Expandability up to(using spare DIMM Slots in GB): 32 SSD:512 or higher Wireless Connectivity: Yes Bluetooth Connectivity: Yes Display Size (Inch):15.6 Display Type: Non Touch Display Resolution (Pixels): At-least 1920 x 1080 Availability of Webcam integrated with Display: Yes Internal Speaker (Dual): Yes Carry Case: Yes Brand: Top three IDM One year warranty	1	
4	Multipurpose colour printer	Laserjet of renowned brand, Colour LED Multi-Function Centre with Network Connectivity, Automatic 2-sided Colour Print, ADF - Multi-page Scan, Copy, Fax, High Productivity with Fast Print Speeds & Multi-tasking, Direct Mobile Print, Low Cost Quality Print Resolution with Affordable Toner with High yield Two-year warranty	1	
5	Soil auger assembly	1. Stainless steel Blade Type (Posthole type) Soil Auger complete with 1 meter rod and handle 50 mm 2. Stainless steel Blade Type (screw type) Soil Auger complete with 1 meter rod and handle 50 mm Note: with threadings at both ends and couplings. Set of two spanners and Tee piece.	1 set	

I have carefully read and understand all the terms and conditions of this tender and will comply these.

Signature of Tenderer

