

COLLEGE OF AGRICULTURE, FATEHPUR-SHEKHAWATI

SIKAR-332301, RAJASTHAN

(Sri Karan Narendra Agriculture University, Johner) कृषि महाविद्यालय, फतेहपर-शेखावाटी, सीकर- 332301 राजस्थान (श्री कर्ण नरेन्द्र कृषि विश्वविद्यालय, जोबनेर)

Dr. Sanjay Kumar Attar DEAN

+91-9461930049 dean.coafatehpur@sknau.ac.in .

No.F. (41)/store/COA/FTR/2025/ 2 11

Dated: 31.7.2025

Open Tender Information

. Open sealed tenders are invited from reputed firms/OEM for supply of Sports items at College of Agriculture, Fatehpur- Shekhawati Distt. Sikar (Rajasthan)-332301. Tender downloaded from State Procurement www.sppp.rajasthan.gov.in University web site www.sknau.ac.in or are available at our office during working hours from 31.07,2025 to 12.08.2025 upto 10.30 AM. Tender forms should be submitted up to 11:00 AM on 12.08.2025. The tender will be opened on the same day at 2.00 P.M. before purchase committee by an officer duly authorized in the presence of any intending tenderer or their authorized representative who wish to present. Detailed information regarding above mentioned tender is available at our office and website www.sknau.ac.in or www.sppp.rajasthan.gov.in. The undersigned reserves the right to reject the tender without assigning any reason thereof.

Copy to the following for information and further needful:

- 1. The Comptroller, SKNAU, Johner
- 2. Treasury officer, SKNAU, Jobner
- 3. O/I CIMCA, SKNAU, Jobner for uploading to University Website-www.sknau.ac.in and www.sppp.rajasthan.gov.in.
- 4. Convener/Members/Accounts Section/DDO, COA, Fatehpur
- 5. All Notice Boards- College, ARS, KVK, SKNAU & Panchayat Samiti, Fatehpur Shekhawati.
- 6. Guard File



COLLEGE OF AGRICULTURE, FATEHPUR-SHEKHAWATI

SIKAR-332301, RAJASTHAN

(Sri Karan Narendra Agriculture University, Johner) कृषि महाविद्यालय, फतेहपुर—शेखावाटी, सीकर— 332301,राजस्थान (श्री कर्ण नरेन्द्र कृषि विश्वविद्यालय, जोबनेर)

Dr. Sanjay Kumar Attar DEAN +91-9461930049 dean.coafatehpur@sknau.ac.in

No.F. (41)/store/COA/FTR/2025/

Dated:

OPEN TENDER NOTICE

Open tenders for Supply of Sports items at College of Agriculture, Fatehpur-Shekhawati are invited in sealed envelopes as per following terms and conditions:

1. Sealed Single Stage Two- envelopes unconditional covered Bids are invited on behalf of College of Agriculture, Fatehpur-Shekhawati, Sikar (Raj.) for the supply Sports items as listed below upto 11:00 AM of 12.08.2025.

	supply sports items as instead select, apro 11.00 11.10 11.10.12.0.1.										
1.	1. Name of Item: As per "Annexure-M"										
2.	Bu	dget: ICA	R scheme	Budget	head Strengt	ead Strengthening and Development of A					
	(De	velopment	Grant) u	nder the	Agricultural	Education D	Division Plan Scheme				
						Higher Agricultural Education in India"					
3.	Last	Date and ti	ime for subr	nission of	Tender: of 12.0	08.2025 at 11:0	00 AM				
4.	Date	and time f	or opening of	of Tender:	of 12.08.2025 at 02:00 PM						
S	S. Name Specifi Qty			Estimated	Price of	Amount of Bid					
N	No. of cations			Price	Bidding	Security (EMD)					
	Article		(Rupees)	· Document	(Rupees)						
						(Rupees)					
1	1 As per "Annexure-M"		5,47,900/-	500/-	@ 2 % of the						
			, , , , , , , , , , , , , , , , , , , ,		bidding amount						
							D' 1 1 1 11 1				

- 2. Price preference and/or purchase preference as per instructions to Bidders shall be admissible in evaluation of Bids and award of Contract.
- 3. The Bidders may enclose the specifications, catalogue and other characteristics of the product offered. They shall also include details of their backup services offered, warranties, etc.
- 4. The complete Bidding Document including the Conditions of Contract, evaluation and qualification criteria and procedure, bidding forms, specifications, delivery obtained from schedule, etc. can be seen at or the Dean, College of Agriculture, Fatehpur Shekhawati, Sikar (Raj.) during office hours in working days up to one day before the date of opening of Bids, by paying the non-refundable price as mentioned in above table in the form of cash. Alternatively, these may be seen and downloaded from university website www.sknau.ac.in and https://sppp.rajasthan.gov.in/. The price of Bidding Document may be paid in the form of Cash or DD in favour Dean, College of Agriculture, Fatehpur- Shekhawati at the time of submission of the Bid.
- 5. Bids, duly signed on all pages and serially numbered, properly bound, accompanied with the Bid Security, in the form of **Demand Draft**, favouring **Dean**, College of **Agriculture**, Fatehpur-Shekhawati, from a Scheduled Bank in India, shall be submitted personally or by post in sealed envelopes upto 11:00 AM of 12.08.2025, to Dean, College of Agriculture, Fatehpur-Shekhawati, Sikar (Raj.) bearing the reference to NIB and warning as: "Bid for Supply of sports items for College of Agriculture, Fatehpur-Shekhawati not to be opened before 12.08.2025 AT 2:00 PM".



- 6. Bids received after the specified time and date shall not be accepted.
- 7. The Bids shall be opened at **2:00 PM** on dated **12.08.2025** in the presence of the Bidders or their authorized representatives who wish to be present.
- 8. The rates should be quoted F.O.R. at College of Agriculture, Fatehpur-Shekhawati, Sikar-332301. No extra amount will be paid other than quoted amount in bid.
- 9. The undersigned reserves the right to reject the tender without assigning any reason thereof.
- 10. The undersigned reserves the right to procure quantity and give orders of the mentioned tendered items as per requirement.
- 11. Tender for **Supply of Sports items for College** should be mentioned on the top of sealed envelope addressing Dean, College of Agriculture, Fatehpur- Shekhawati: Sikar (Rajasthan).
- 12. The prices should be typed or written clearly in ink against each item. Cutting should be avoided as erroneous and overwriting are not permissible.
- 13. The specification as per **Annexure-M**, should be fulfilled for **Supply of sports items for college.**
- **14.** The terms and conditions should be read carefully and each page of the tender should be signed and sealed properly.
- 15. The billing for these items should be made in two copies in favour of "Dean, College of Agriculture, Fatehpur-Shekhawati".
- 16. The tender form should be filled as per given terms and conditions.
- 17. Self-attested copies of Address proof, PAN Card, GST/SG Registration, TIN Registration and other essential certificates as required must be attached while submitting the tender.

30m

Terms and condition for Supply of sports items at College of Agriculture

- 1. Important annexures/documents except financial bid should be kept in **envelope** 1 along with tender fee DD if not already paid to this office and earnest money DD.
- 2. **Envelope 2** should contain only financial bid and it will be opened only when technical bid of the tenderer is qualified.
- 3. Submit a sealed envelope containing both envelope 1 and 2 to the office on or before 11:00 AM on 12.08.2025.
- 4. Tender for **Supply of Sports items** for College of Agriculture, Fatehpur-Shekhawati, Sikar should be mentioned on the top of envelope and should be sent in sealed envelope addressing Dean, College of Agriculture, Fatehpur-Shekhawati: Sikar (Rajasthan) 332301.
- 5. No advance payment will be made to the tenderer and the money will be released only after satisfactory completion of work i.e. supply, installation and verification by purchaser.
- 6. The tenderer must put his signature and stamp on every paper of tender including terms and condition.
- 7. Any kind of overwriting/correction may lead to cancellation of tender.
- 8. The prices should be typed/ written clearly in ink against each item. Cutting should be avoided as erroneous and overwriting are not permissible.
- 9. Dean, College of Agriculture, Fatehpur-Shekhawati have the right to accept or reject the tender.
- 10. Any lapse in time may lead to action against the tenderer under RTPP 2012, RTPP 2013 and other rules laid down by Rajasthan Govt. and university from time to time and the penalty (L.D. charges) will be charged.
- 11. The material should adhere to the specification provided in annexure-M and sample submitted.
- 12. The tender will be available from day of publishing of this notice to 10.30 AM of 12.08.2025 which can be submitted upto 11:00 AM of 12.08.2025 and the tender will be open at 2.00 PM on 12.08.2025. Incomplete tenders and tenders received late will not be entertained.
- 13. Any other terms & conditions except cited above will be as per RTPP 2012, RTPP 2013, Rule No.68 of General Finance and Account, Raj. Govt. notification dated 19.11.2015 and other guidelines provided by state government from time to time.
- 14. The rates approved for supply of sports items will be valid up to 31.03.2025.
- 15. The firms from Rajasthan state and outside Rajasthan state which are not included in price preference status by General Finance and Audit rules of Rajasthan, while comparing the price quoted the Rajasthan sale tax/VAT will not be included and only central sale tax will be included. Which means the sale tax/VAT will not be included in price quoted by local firms while central sale tax will be included in price quoted by firms which are not in price preference status of Rajasthan Government. Liquidated damage (2.50 to 10 Percent) will be recovered as per General finance and audit rules if the material is not supplied within time as per the following.
 - a) Lapse of one fourth period than the stipulated time -2.50%
 - b) Lapse of one fourth periods but not half than the stipulated time 5.00%
 - c) Lapse of half to three fourth period than the stipulated time 7.50%
 - d) Lapse of more than three fourth period than the stipulated time 10%

- 16. The tenderer will have to sign the "Fall clause" (Annexure-G attached) stating that he will have to supply the material to other departments, corporations, boards, PSUs on the same minimum quoted rates as to the college till the contract expires.
- 17. The tenderer shall give an undertaking that his firm has not been black listed (Annexure-F). If it is found otherwise then bid security, performance security will be seized and court case will be registered against him.
- 18. Lowest price quoted will not qualify for selection of tender but quality and desired standards will also be considered.
- 19. The product must be certified and must be of reputed and well-known brand.
- 20. The rates quoted must be Freight on Receipt (FOR) at College of Agriculture, Fatehpur-Shekhawati. No amount other than that is quoted in financial bid will be paid.
- 21. Self-attested copies of Address proof, PAN Card, GST/SG Registration, Income Tax Return, Turn Over detail, Registration and other essential certificates as required must be attached while submitting the tender.
- 22. The firm should have a minimum average turnover of 20 lakh for the last three financial year duly certified by CA.
- 23. Supporting documents shall be verified with originals during the of tender process. Supporting documents may also be sought as proof. Further, verifications of documents, claims, etc., may also be done by department any time even before/during or after finalization of tender bid/process.
- 24. If the tender form has been downloaded, then tender fee of Rs. 500/- in form of **Demand Draft favoring Dean, College of Agriculture, Fatehpur-Shekhawati or in cash** must be submitted in envelope No. 1 as per the time schedule.
- 25. The Demand Draft of bid security amount @ 2% of the bidding amount favoring Dean, College of Agriculture, Fatehpur-Shekhawati must be submitted in envelope No. 1.
- 26. The Bid Security amount of the successful bidder may be adjusted in performance security of the bidder.
- 27. Tender will be cancelled if the security deposit or tender fee is not submitted.
- 28. Successful bidder will have to sign performance contract on Rs. 100 stamp paper & the expenses will be borne by him.
- 29. Successful bidder will have to deposit performance security amount of @ 5 % of the amount of supply order given to the bidder in the form of DD favoring Dean, College of Agriculture, Fatehpur-Shekhawati.
- 30. Dean, College of Agriculture, Fatehpur-Shekhawati reserves the right to seize in part or whole amount of Performance security, Bid Security money if the tenderer violates the terms and conditions or fails to complete any provision.
- 31. The guidelines for number/figure mistakes in financial bids: The tender committee will rectify the numerical mistakes as per the following rules.
 - a) If there is mistake in multiplying unit price with quantity, the unit price will be considered and corrections will be made in grand total. If committee feels that there is mistake in decimal place of unit price then grand total will be considered & corrections will be made in unit price.
 - b) If there is mistake in addition and subtraction of various units then unit prices will be considered and corrections will be made in total price.



- c) If there is mistake in figures and words then the words will be considered unless there is any mistake in writing the numbers. The figures will be considered as per a) & b) listed above.
- 32. The ordered work will have to be completed within 15 days after the date of placing the orders or as per the time limit mentioned in the work order.
- 33. The specification as per **Annexure-M** should be fulfilled for **Supply of sports items** at College of Agriculture, Fatehpur-Shekhawati, Sikar.
- 34. Any accident/ mishap during the execution of the job will be the responsibility of the agency concerned, which will get the necessary insurance done at their cost.
- 35. The tender form should be filled as per given terms and conditions.

Special Terms and Conditions:

- 1. **Submission Deadline**: The sealed bid, clearly labelled "Supply of Sports items for College of Agriculture, Fatehpur-Shekhawati," must be submitted to the Store Section of COA, Fatehpur-Shekhawati by **11:00 AM on 12.08.2025**.
- 2. **Price/Rate**: Vendors must provide itemized rates in the financial bid (Annexure-M), inclusive of all applicable taxes like GST etc.
- 3. **Additional Costs**: No additional charges for packing, forwarding, unloading, or transit insurance will be paid by the university. These costs are the responsibility of the supplier.
- 4. **Quantity Variability**: The quantity of items may be decreased or increased, and items can be removed. The rates quoted in the financial bid will apply in such cases, provided they are justified.
- 5. Product Range: Vendors must submit a product range list with the company price list, catalogue/brochures of items authenticated by the respective manufacturer.
- 6. Payment Terms: No advance or part payment will be made. Full payment will only be issued after the complete delivery of items in good condition and to the satisfaction of the COA, Fatehpur-Shekhawati.
- 7. Quality Assurance: All supplied items must be of high quality. If any item is found to be of inferior quality, it must be replaced by the supplier at their own cost. Failure to replace or delayed delivery may lead to the cancellation of the contract or Rate Contract (RC).
- 8. Sample submission: Tenderer must submit the samples (For items mentioned at S.No. 1 to 8, 10 to 15, 17, 18, 20, 21,28 as per annexure J) whose rates quoted by them at the time of submission of bid with proper labels for proper identification. At the time of finalization of technical bids, quality of samples will be considered and if approved, the bidder/tenderer must adhere to the quality of the approved sample. In case of lapses, the performance security may be forfeited at any time.

DEAN

Signature of the contractor

With full address and phone or mobile No.



Compliance with the Code of Integrity and No Conflict of Interest

· Any person participating in a procurement process shall –

- (a) not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) not indulge in any collusion, Bid rigging or anti-competitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) not misuse any Information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process;
- (e) not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) not obstruct any investigation or audit of a procurement process;
- (g) disclose conflict of interest, if any; and
- (h) disclose any previous transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.



Conflict of Interest:-

- 1. The Bidder participating in a bidding process must not have a Conflict of Interest. A Conflict of Interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.
- 2. A bidder may be considered to be in Conflict of interest with one or more parties in an bidding process if, including but not limited to;
- (a) have controlling partners/shareholders in common; or
- (b) receive or have received any direct or indirect subsidy from any of them; or
- (c) have the same legal representative for purposes of the Bid; or
- (d) have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or
- (e) the bidder participates in more than one Bid in abiding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or
- (f) the Bidder of any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the Goods, Works or Services that are the subject of the Bid; or
- (g) Bidder or any of its affiliates has been hired (or is proposed to be hired) by the procuring Entity as engineer-in-charge/consultant for the contract. All bidders shall provide in Qualification Criteria and Biding Forms, a statement that the bidder is neither associated nor has been associated directly or indirectly, with the consultant or any other entity that has prepared the design, specifications and other documents for the subject matter of procurement or being proposed as Project Manager for the contract.



Grievance Redressal during Procurement Process

The first Appellate Authority will be Hon'ble Vice Chancellor, SKNAU, Jobner and second Appellate Authority will be appointed by Chief Secretary/Joint Secretary, Agriculture Department, Govt. of Raj., Jaipur or SKNAU, Jobner or Govt. of Rajasthan.

(1) Filling an appeal:

a. If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the Act or the Rules or the or the Guidelines issued thereunder, he may file an appeal to Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a bidder as successful the appeal may be filed only by a Bidder who has participated in procurement proceedings:

Provided further that in case a procuring Entity evaluates the Technical Bids before the opening of the financial Bids, an appeal related to the matter of Financial Bids may be filed only by a bidder whose technical bid is found to be acceptable.

- b. The officer to whom an appeal is filed under para (1) shall deal with the appeal as expeditiously as possible and shall endeavor to dispose it of within thirty days from the date of the appeal.
- c. If the First Appellate Authority fails to dispose of the appeal within the period 30 days of the date of filing the appeal or if the bidder or prospective bidder or the procuring entity is aggrieved by the order passed by the First Appellate Authority, the bidder or prospective bidder or the procuring entity, as the case may be, may file a second appeal to the Second Appellate Authority as specified in the Bid Data Sheet, within fifteen days. The Second Appellate Authority, after hearing the parties, shall dispose of the appeal and pass an order within a period of 30 days which shall be final and binding on the parties. If the Second Appellate Authority is unable to dispose of the appeal within the aforesaid period, he shall record reason for the same.

(2) Appeal not to lie in certain cases:

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely:-

- (a) determination of need of procurement;
- (b) provisions limiting participation of Bidders in the bidding process;
- (c) the decision of whether or not to enter into negotiations;
- (d) cancellation of a procurement process;
- (e) applicability of the provisions of confidentiality.

BANK.

(3) Form and procedure of filing an appeal

- (a) An appeal shall be in the annexed Form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.
- (c) Every appeal may be presented to First Appellate Authority or Second Appellate Authority, as the case may be, in person or through registered post or authorised representative.

(4) Fee for filing appeal

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's Cheque of a Scheduled Bank in India payable in the name of Appellate Authority concerned.

(5) Procedure for disposal of appeals

- (a) The First Appellate Authority or Second Appellate Authority, as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.
- (b) On the date fixed for hearing, the First Appellate Authority or Second Appellate Authority, as the case may be, shall-
- (i) hear all the parties to appeal present before him; and
- (ii) peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall be placed on the State Public Procurement Portal.

SKAM

Declaration by the Bidder regarding Qualification

In relation to my/our Bid submitted to
1. I/We hereby declare under Section 7 of Rajasthan Transparency in Public Procurement Act, 2012, that: 1. I/We possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entity;
2. I/We have fulfilled my/our obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in the bidding document;
3. I/We are not insolvent in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
4. I/We do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
5. I/We do not have a conflict of interest as specified in the Act, Rules and Bidding Document, which materially affects fair competition;
Date:
Signature of Bidder
Place:
Name:
Designation:

477

DECLARATION BY TENDERERS

We hereby declare that we are Bona-fide manufacturer/Authorized whole sellers/Sole distributors/Authorized Dealer Distributor/Sole Selling/Marketing Agent in the Goods/Store/equipment's/item for which we have tendered.

If this declaration is found to be incorrect then without prejudice to any other action that may be taken, our security may be forfeited in full and the tender if any to the extent accepted may be cancelled.

Signature of Tenderer with seal

SAM

DECLARATION BY TENDERERS

I/We hereby declare that we are not blacklisted by any Govt. Department/PSU/Company from last 3 years, wherever we have supplied placement work/service unit, for supplying substandard goods/services to these units.

I/We also declare that I/We are not defaulter, insolvent in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons.

Signature of Tenderer with seal

SHAN .

FALL CLAUSE CERTIFICATE

This is to certify that we have our Quotation No.	e offered the maximum possible discount to you in dated
be higher than lowest prices at whito any other Govt. Organisation/bodies/Central/State Universities/C	upplied under Rate Contract should under no event ich the party sells the items of identical description PSU's/ Central Govt,/State Govt. Autonomous Central/State Educational Institutions during the "FALL CLAUSE" will be applicable.
	ur firm is more, purchasing will have the right to from the subsequent/unpaid bill of the supplier.
	Seal and Signature of the Tenderer

JEAN

FORM No. 1[See rule 83 of RTTP]

Memorandum of Appeal under the Rajasthan Transparency in Public Procurement Act, 2012
Appeal Noof
Before the (First / Second Appellate Authority)
 Particulars of appellant: Name of the appellant: Official address, if any: Residential address:
2. Name and address of the respondent(s):(i)(ii)(iii)
3. Number and date of the order appealed against and name and designation of the officer / authority who passed the order (enclose copy), or a statement of decision, action or omission of the Procuring Entity in contravention to the provisions of the Act by which the appellant is aggrieved:
 4. If the Appellant proposes to be represented by a representative, the name and postal address of the representative: 5. Number of affidavits and documents enclosed with the appeal: 6. Grounds of appeal:
7. Prayer: (Supported by an affidavit)
Place Date
Appellant's Signature

SHAP

Affidavit

Attidavit
(on no-judicial stamp paper of Rupees 100/-)
I
at
M/sdo hereby solemnly affirm and declare that
(a) My/our above noted enterprises M/shas been issued
acknowledgement of Entrepreneurial Memorandum pan-II by the District Industries
center/Other Govt. Authority by the Bistrict industries acknowledgement No.
isdated
(i)
(ii)
(iii)
(iv)
(v)
(vi)
(b) My/our above noted acknowledgement of Entrepreneurial Memorandum pan-II has not
been cancelled or withdrawn by the Industries Development and that the enterprise is
regularly manufacturing the above items.
(c) My/our enterprises is having all the requisite plant and machinery and is fully equipped to
manufacture the above noted items.
manufacture the doo've noted remo.
Signature of
Proprietor/Partner/Director
Authorized Signatory with stamp and date
Verification
IS/o
aged years residing
at
M/sverify and confirm that the contents at (a), (b) and (c) above
are true and correct to the best of my knowledge and nothing has been concealed there in. So
heln me God.

Deponent

SAM

Details of documents attached by the bidder

S. No.	Particulars	Remarks
1.	EMD DD	
2.	Firm Registration	
3	GST Registration	
4	Manufacturer/Authorized Dealer Certificate	
5	PAN Card	
6	Affidavit	
7	Different annexures	

Seal and Signature of the Tenderer

Bank

Annual Turnover Certificate

We hereby declare that the annual turnover of our firm is as under.

S.No.	Financial Year	Turnover (Rs.in Lakh)
1	2022 - 2023	
2	2023 - 2024	
3	2024 - 2025	
	Total Turn Over	
	Avg. Turn Over	

If this declaration is found to be incorrect then without prejudice to any other action that may be taken, our security may be forfeited in full and the tender if any to the extent accepted may be cancelled.

Signature of Tenderer with seal



	Fi	nancial/Price	Bid Sub	mission Sheet
Date:				
NIB No	.:			
	n, College of Agric		Shekha	wati
	undersigned, declar			
	ve examined and ha	ve no reservation	ons to the	e Bidding Document, including Addend
No.:	for to supply in conf	Committy with the	Didding	Document and in accordance with the
				uirements as specified in Section V,
				ated Services: Supply of sports items
	ollege of Agricultur			
The to	tal price for our B	id, in item (s) be	elow is:	Rupees
	Cassification	Standard	04	Detain figures & small (Durane)
S. No.	Specification	Standard	Qty.	Rate in figures & words (Rupees)
100.	As per Annex	ure-M		Rate
1	As per Annex	dic-ivi		GST @ %
				TOTAL
	Grand Total	In Number		
		In Figure		
iv. Bid Dat v. Bid Dat	e) Security Amount:Re:Ban	ce: Rs.500/- Cas		f through DD-DD No
Name: _ In the ca	apacity of:			
Date:				
		Bid for and on	behalf or	f (Name of Firm):
Type of	Firm (Proprietor/Pa	artnership):		
Comple	te Address of the fir	rm		
IFSC C	ode.			

d)

e)

Tel:___



_Fax:___

_E-mail:

Financial Bid

Name of work: - Supply of Sports items for college

S. No.	Item	Specification	Required Quantity	Make/Bra nd/Make	Rate Per Piece /Packet	Total rates Including GST
1	Volleyball (Ball)	Microfiber PU synthetic Leather with air lock valve for air retention, Suitable for: Soft & Rough Outdoor surfaces, All Indoor Surface (The inflated ball must have 65-67 cm circumference with 260–280-gram weight), internal air pressure 0.3-0.325 kgf/cm ²	20			
2	Volleyball Net	Made with extra heavy cotton twisted netting, (4-sided tape, nylon material with Length at least 10 meters, Width at least 1 meters)	05			
3	TT ball	Plastic, orange color with 55 gram weight approx., 5 star ball with premier quality and manufacturing company is well known in world.	30			
4	·TT Bat	Bat Weight: approx 180 grams, Rubber Type: Integrated with carbon layer & ply wood blade, blade length 17 cm and blade width 15 cm, Hard Sponge Thickness: 2 mm, Bat Dimension: Height – 26 inch, Beam Width - 22.5 mm, Head Shape - Oval Shape, Handle Shape – Flared,	10			
5	TT Table Net Set	Cotton and metallic, portable, 4-sided tape, with Spring Activated Clamp Net, size 170L x 15H Centimeters.	2			
6	Badminton Rackets	Carbon Graphite Shaft Material – High Modulus Graphite, Grip Size - G4 (3.5inches), Head Shape: Isometric head with T-Joint, Weight: (85.0-95 gm), with 67.5L x 20W Centimeters dimension.	10			9
7	Badminton Net	Waterproof, Upper Edge/Lining of the net-75 mm white tape, Portable, Material Nylon/Plastic, Depth of the badminton net-2 feet 6 inches (760 mm in depth), Length/Width of the badminton net- At least 6.1 meters wide so that it extends over the entire court completely, Badminton net thickness of mesh/net-15 mm to 20 mm (should be uniform throughout),	05			
8	Badminton .Shuttle cock	Nylon yellow shuttle cock, Skirt Material- Nylon, Base Material- Cork a foam base, Net Quantity -6 shuttle cock pack.	25			
9	Badminton Poll Set	Metal movable badminton pole light weight made of 38x38 mm square pipe base pipe 2 inch square, pipe each side weight 60 kg, adjustable iron rachet for holding net with net fine quality spray PU paint, easy to carry and move anywhere, installation is very easy				
10	Badminton Shoes	Non-Marking good quality shoes of reputed and well-known brand for both male & female category	10			i.
11	Football (Ball)	Durable: Ball rolling: no seams, spherical, Made of leather or other suitable material, of a circumference of not more than 70 cm (28 inches) and not less than 68 cm (27 inches), not more than 450 g (16 oz) in weight and not less than 410 g (14 oz) at the start of the match of a pressure equal to 0.6 – 1.1 atm (600–1100 g/cm ²) at sea level (8.5 lbs/sq in to 15.6 lbs/sq in).	05			



Shoes Shoes Football Shoes Football Shoes Football Football Shoes	T	r (1 11	Ct. 1 C 1'CC	0.5		
Basket Span		Football	Studs of different size PU synthetic leather upper,	25		
Football Goal Poot		Shoes				
Goal Post Net Crossbar is 2.44 meters (8 feet) above the ground						
Net crossbar is 2.44 meters (8 feet) above the ground (Ball)				1		
Basketball Gall Size 7, with a circumference 75 cm and weight Cold grams, corage color with made of a rubber bladder covered with leather, rubber or synthetic material, FIBA Level 2 approved for tournament play. Versatile for both indoor and outdoor surfaces Surfaces Non marking shoes, ultra-light rubber with the ergonomic design and solid gluing technology for both male and female Solor Handle, Harrow, Premium quality, Straight Grains, Lightweight design, Contoured edges, Perfect grip. Strong, sturdy and long-lasting product, edivers high performance, Made from good quality material. Height: 83-86 cm, Width: 11:30-12 cm, Length: 3.6-3.9 cm, Weight range: 1140 to 1200 grams Bounce height 4,45 feet, rubber material, red colour, Heavy weight ball Per ball weight (120-125g). Hand sticked cricket leather ball from fine, flexible and quality leather. The core of the ball is made with fine grade cork and is layered with tightly wound merino wool (weight 300 gram). Thermoplastic Polyurethane, spike shoes Thermoplastic Polyurethane, professional lifted shape of Shoe for sprinters to run. Moulded heel to give support to ankle. Full TPU Soleplate for men's and women's category. Rubber tipped javelins (not the regular tipped). Cotton grip, 2.7 m long, Javelins 800 grams for men's and 600 grams for women's and 600 grams for women's and 600 grams for women's category. The minimum weight of the discus must be 2 kg (4.4 pounds). Discus for female Signature of 120 mm (8.6 inches) with a thickness of 44 mm (1.75 inches) in the men's category. The minimum weight of the discus must be 2 kg (4.4 pounds). Governed with high quality non-tearing and non-abrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. How kand loop system hold bases together for stability. How kand loop system h						
(Ball) (Ball)						
bladder covered with leather, rubber or synthetic material, FIBA Level 2 approved for tournament play. Versatile for both indoor and outdoor surfaces Non marking shoes, ultra-light rubber with the ergonomic design and solid gluing technology for both male and female Cricket Bat Cricket Short Handle, Harrow, Premium quality, Straight Grains, Lightweight design, Contoured edges, Perfect grip, Strong, sturdy and long-lasting product, delivers high performance, Made from good quality material. Height Sa-386 cm, Width: 11.30-12 cm, Length: 3.6-3.9 cm, Weight range: 1140 to 1200 grams Bounce height 4.45 feet, rubber material, red colour, tennis and leather) Cricket Ball (Hard tennis and leather) Running spike grade cork and is layered with tightly wound merino wool (weight 300 gram). Running spike grade cork and is layered with tightly wound merino wool (weight 300 gram). Running spike grade cork and is layered with tightly wound merino wool (weight 300 gram). Running spike grade cork and is layered with tightly wound merino wool (weight 300 gram). Running spike grade cork and is layered with tightly wound merino wool (weight 300 gram). Bayelin Thermoplastic Polyurethane, Lightweight, Professional lifted shape of Shoe for sprinters to run. Moulded heet to give support to ankle, Full TPU Soleplate for men's and women's category. Javelin Rubber tipped javelins (not the regular tipped). Cotton grip, 2.7 m long, Javelins 800 grams for men's and 600 grams for women's. Discus for Circular with a diameter of 219 mm (8.6 inches) with a thickness of 44 mm (1.75 inches) in the men's category. The minimum weight of the discus must be 2 kg (4.4 pounds). Circular with a diameter of 180 mm (7.1 inches) and weighs 1 kg (2 pounds 3.2 ounces). Made of high-quality polyurethane foam (PU pright pund) to provide optimum cushioning while landing. Covered with high quality non-tearing and non-abrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with c				10		
material, FIBA Level 2 approved for tournament play. Versatile for both indoor and outdoor surfaces Non marking shoes, ultra-light rubber with the Ball Shoes ergonomic design and solid gluing technology for both male and female Cricket Short Handle, Harrow, Premium quality, Straight Grains, Lightweight design, Contoured edges, Perfect grip, Strong, sturdy and long-lasting product, delivers high performance, Made from good quality material. Height: 83-86 cm, Width: 11.30-12 cm, Length: 3.6-3.9 cm, Weight range: 1140 to 1200 grams Cricket Ball (Hard tennis and tennis and sticked-cricket leather ball from fine, flexible and quality leather. The core of the ball is made with fine grade cork and is layered with tightly wound merino wool (weight 300 gram). Thermoplastic Polyurethane, Lightweight, professional lifted shape of Shoe for sprinters to run. Moulded heel to give support to ankle. Full TPU Soleplate for men's and women's category. Rubber tipped javelins (not the regular tipped). Cotton grip, 2.7 m long, Javelins 800 grams for men's and 600 grams for women's. Discus for Men's And 600 grams for women's. Circular with a diameter of 219 mm (8.6 inches) with a thickness of 44 mm (1.75 inches) in the men's category. The minimum weight of the discus must be 2 kg (4.4 pounds). Landing High Jump Landing Mads 5×3×1 m Made of high-quality polyurethane foam (PU Landing Foam) to provide optimum cushioning while landing. 5×3×1 m Made of high-quality polyurethane foam (PU Landing Foam) to provide optimum cushioning while landing. 5×3×1 m High Jump Landing Foam of the discus must be 2 kg (4.4 pounds). High Jump Landing Foam of the discus must be 2 kg (8.4 pounds). High Jump Landing Foam of the discus must be a kg (8.4 pounds). High Jump Landing Foam of the discus must be a kg (8.4 pounds). High Jump Landing Foam of the material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverabil	((Ball)				
play. Versatile for both indoor and outdoor surfaces surfaces Non marking shoes, ultra-light rubber with the ergonomic design and solid gluing technology for both male and female Cricket Short Handle, Harrow, Premium quality, Straight Grains, Lightweight design, Contoured edges, Perfect grip, Strong, sturdy and long-lasting product, delivers high performance, Made from good quality material. Height: 83-86 cm, Width: 11.30-12 cm, Length: 3.6-3.9 cm, Weight range: 1140 to 1200 grams Bounce height 4.45 feet, rubber material, red colour, tennis and leather) leather) weight ball Pre ball weight (120-125g), Hand stiched cricket leather ball forn fine, flexible and quality leather, The core of the ball is made with fine grade cork and is layered with tightly wound merino wool (weight 300 gram). Running spike spike spike shoes and leather) The Usoleplate for men's and women's category. Possional lifted shape of Shoe for sprinters to run. Moutled heel to give support to ankle, Full TPU Soleplate for men's and women's category. Rubber tipped javelins (not the regular tipped). Cotton grip, 2.7 m long, Javelins 800 grams for men's and 600 grams for women's actegory. Discus for Men's with a diameter of 219 mm (8.6 inches) with a thickness of 44 mm (1.75 inches) in the men's category. The minimum weight of the discus must be 2 kg (4.4 pounds). Discus for Circular with a diameter of 180 mm (7.1 inches) and weighs 1 kg (2 pounds 3.2 ounces). High Jump Landing Mats Sx3x1 m Covered with high quality non-tearing and non-abrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. Heavy gauge steel uprights. High Jump standards with 18" steel square base. Steel constructed risers with welded bar rests. Complies with International stability. Hook and loop bystem hold bases together for stability.						
Surfaces Non marking shoes, ultra-light rubber with the ergonomic design and solid gluing technology for both male and female Cricket Short Handle, Harrow, Premium quality, Straight Grains, Lightweight design, Contoured edges, Perfect grip, Strong, sturdy and long-lasting product, delivers high performance, Made from good quality material. Height. 83-86 cm, Width: 11.30-12 cm, Length: 3-6-3.9 cm, Weight range: 1140 to 1200 grams			material, FIBA Level 2 approved for tournament			
Basket Ball Shoes Ball Shoe			play. Versatile for both indoor and outdoor			
Ball Shoes both male and female obth male and female of Cricket Short Handle, Harrow, Premium quality, Straight Grains, Lightweight design, Contoured edges, Perfect grip, Strong, sturdy and long-lasting product, delivers high performance, Made from good quality material. Height: 83-86 cm, Width: 11.30-12 cm, Length: 3.6-3.9 cm, Weight range: 1140 to 1200 grams 17 Cricket Ball (Hard temis and leather) Bounce height 4.45 feet, rubber material, red colour, Heavy weight ball Per ball weight (120-125g). Hand stiched cricket leather ball from fine, flexible and quality leather, The core of the ball is made with fine grade cork and is layered with tightly wound merino wool (weight 300 gram). 18 Running Shie Professional lifted shape of Shoe for sprinters to run. Moulded heel to give support to ankle. Full TPU Soleplate for men's and women's category. 19 Javelin Rubber tipped javelins (not the regular tipped). Cotton grip, 2.7 m long, Javelins 800 grams for men's and 600 grams for women's. 20 Discus for Men's Cricular with a diameter of 219 mm (8.6 inches) with a thickness of 44 mm (1.75 inches) in the men's category. The minimum weight of the discus must be 2 kg (4.4 pounds). 21 Discus for female Cricular with a diameter of 180 mm (7.1 inches) and weighs 1 kg (2 pounds 3.2 ounces). 22 High Jump Made of high-quality polyurethane foam (PU Foam) to provide optimum cushioning while landing. 23 High Jump Upright Pols with high quality non-tearing and nonabrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. 24 High Jump Upright With 8" steel square base. Steel constructed risers with welded bar rests. Complies with International standards. Approved by World Athletics. Height adjustment from 70 cm to 260 cm.			surfaces			
Ball Shoes both male and female Cricket Short Handle, Harrow, Premium quality, Straight Grains, Lightweight design, Contoured edges, Perfect grip, Strong, sturdy and long-lasting product, delivers high performance, Made from good quality material. Height: 83-86 cm, Width: 11,30-12 cm, Length: 3.6-3.9 cm, Weight range: 1140 to 1200 grams To Cricket Ball (Hard tennis and leather) Bounce height 4.45 feet, rubber material, red colour, Heavy weight ball Per ball weight (120-125g), Hand tennis and leather) Running spike Professional lifted shape of Shoe for sprinters to run. Moulded heel to give support to ankle. Full TPU Soleplate for men's and women's category. Rubber tipped javelins (not the regular tipped), Cotton grip, 2.7 m long, Javelins 800 grams for men's and 600 grams for women's. Discus for Men's With a diameter of 219 mm (8.6 inches) with a thickness of 44 mm (1.75 inches) in the men's category. The minimum weight of the discus must be 2 kg (4.4 pounds). Circular with a diameter of 180 mm (7.1 inches) and weighs 1 kg (2 pounds 3.2 ounces). High Jump Landing Mats and women's category and weighs 1 kg (2 pounds 3.2 ounces). High Jump Made of high-quality polyurethane foam (PU Foam) to provide optimum cushioning while layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. Heavy gauge steel uprights. High Jump standards with welded bar rests. Complies with Illing Hump Lending Upright With 8" steel square base. Steel constructed risers with welded bar rests. Complies with Illing Hump tandards. Approved by World Athletics. Height adjustment from 70 cm to 260 cm.	F	Basket	Non marking shoes, ultra-light rubber with the	. 10		
both male and female Cricket Bat Cricket Bat Crains, Lightweight design, Contoured edges, Perfect grip, Strong, sturdy and long-lasting product, delivers high performance, Made from good quality material. Height: 83-86 cm, Width: 11.30-12 cm, Length: 3.6-3.9 cm, Weight range: 1140 to 1200 grams Cricket ball (Hard tennis and leather) Reapy weight ball Per ball weight (120-125g). Hand stiched cricket leather ball from fine, flexible and quality leather, The core of the ball is made with fine grade cork and is layered with tightly wound merino wool (weight 300 gram). Thermoplastic Polyurethane, Lightweight, Professional lifted shape of Shoe for sprinters to run. Moulded heel to give support to ankle. Full TPU Soleplate for men's and women's category. Rubber tipped javelins (not the regular tipped). Cytton grip, 2.7 m long, Javelins 800 grams for men's and 600 grams for women's. Circular with a diameter of 219 mm (8.6 inches) with a thickness of 44 mm (1.75 inches) in the men's category. The minimum weight of the discus must be 2 kg (4.4 pounds). Circular with a diameter of 180 mm (7.1 inches) and weights 1 kg (2 pounds 3.2 ounces). Circular with a diameter of 180 mm (7.1 inches) and weights 1 kg (2 pounds 3.2 ounces). Circular with a diameter of 180 mm (7.1 inches) and weights 1 kg (2 pounds 3.2 ounces). Circular with a diameter of made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. Heavy gauge steel uprights. High Jump standards with 8" steel square base. Steel constructed risers with welded bar rests. Complies with International standards. Approved by World Athletics. Height adjustment from 70 cm to 260 cm.	F	Ball Shoes				
Bat Grains, Lightweight design, Contoured edges, Perfect grip, Strong, sturdy and long-lasting product, delivers high performance, Made from good quality material. Height: 83-86 cm, Width: 11.30-12 cm, Length: 3.6-3.9 cm, Weight range: 1140 to 1200 grams 17 Cricket ball (Hard tennis and leather) 18 Running Thermoplastic Polyurethane, Height would tiched cricket leather ball from fine, flexible and quality leather, The core of the ball is made with fine grade cork and is layered with tightly wound merino wool (weight 300 gram). 18 Running Spike Professional lifted shape of Shoe for sprinters to run. Moulded heel to give support to ankle. Full TPU Soleplate for men's and women's category. 19 Javelin Rubber tipped javelins (not the regular tipped). Cotton grip, 2.7 m long, Javelins 800 grams for men's and 600 grams for women's. 20 Discus for Men's Men's With a diameter of 219 mm (8.6 inches) with a thickness of 44 mm (1.75 inches) in the men's category. The minimum weight of the discus must be 2 kg (4.4 pounds). 21 Discus for female and weighs 1 kg (2 pounds 3.2 ounces). 22 High Jump Landing Mats Sax3 m 1m Sax3 m 1m Sax3 m 1m Landing Mats Inading. 23 High Jump Upright Poles with Organ Sara Sara Sara Sara Support 2 High Jump Upright Poles with Welded bar rests. Complies with International strick or maneuverability. Hook and loop system hold bases together for stability. Hook and loop system hold bases together for stability. Hook and loop system hold bases together for stability. Hook and loop system with welded bar rests. Complies with International strickers with welded bar rests. Complies with International strickers. Height adjustment from 70 cm to 260 cm.						
Bat Grains, Lightweight design, Contoured edges, Perfect grip, Strong, sturdy and long-lasting product, delivers high performance, Made from good quality material. Height: 83-86 cm, Width: 11.30-12 cm, Length: 3.6-3.9 cm, Weight range: 1140 to 1200 grams Bounce height 4.45 feet, rubber material, red colour, Heavy weight ball Per ball weight (120-125g), Hand tiched cricket leather ball from fine, flexible and quality leather, The core of the ball is made with fine grade cork and is layered with tightly wound merino wool (weight 300 gram). Bartin Brunning Spike Spike Shoes or United Shape of Shoe for sprinters to run. Moulded heel to give support to ankle. Full TPU Soleplate for men's and women's category. Bubber tipped javelins (not the regular tipped). Cotton grip, 2.7 m long, Javelins 800 grams for men's and 600 grams for women's. Circular with a diameter of 219 mm (8.6 inches) With a thickness of 44 mm (1.75 inches) in the men's category. The minimum weight of the discus must be 2 kg (4.4 pounds). Circular with a diameter of 180 mm (7.1 inches) and weighs 1 kg (2 pounds 3.2 ounces). High Jump Landing Mats Shalm Made of high-quality polyurethane foam (PU Foam) to provide optimum cushioning while landing. Covered with high quality non-tearing and nonabrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. High Jump Upright Poles with Cross Bar Support 2 High Jump Upright Poles with Welded bar rests. Complies with International street squares base. Steel constructed risers with welded bar rests. Complies with International street squares base. Steel constructed risers with welded bar rests. Complies with International squares. Approved by World Athletics. Height adjustment from 70 cm to 260 cm.	(Cricket	Short Handle, Harrow, Premium quality, Straight	05		
grip, Strong, sturdy and long-lasting product, delivers high performance, Made from good quality material. Height 83-86 cm, Width: 11,30-12 cm, Length: 36-3.9 cm, Weight range: 1140 to 1200 grams 17 Cricket ball (Hard tennis and leather) 18 Bounce height 4.45 feet, rubber material, red colour, Heavy weight ball Per ball weight (120-125g), Hand stiched cricket leather ball from fine, flexible and quality leather, The core of the ball is made with fine grade cork and is layered with tightly wound merino wool (weight 300 gram). 18 Running spike Professional lifted shape of Shoe for sprinters to run. Moulded heel to give support to ankle. Full TPU Soleplate for men's and women's category. 19 Javelin Rubber tipped javelins (not the regular tipped). Cotton grip, 2.7 m long, Javelins 800 grams for men's and 600 grams for women's. 20 Discus for Men's Circular with a diameter of 219 mm (8.6 inches) with a thickness of 44 mm (1.75 inches) in the men's category. The minimum weight of the discus must be 2 kg (4.4 pounds). 21 Discus for female and weighs 1 kg (2 pounds 3.2 ounces). 22 High Jump Landing Mats Sax1 m Solomy and the discus must be 2 kg (2 pounds 3.2 ounces). 23 High Jump Covered with high quality non-tearing and nonabrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. Hook and loop system hold bases together for stability. Hook and loop system hold bases together for stability. Hook and loop system hold bases together for stability. Hook and loop system with welded bar rests. Complies with International standards. Approved by World Athletics. Height adjustment from 70 cm to 260 cm.						
high performance, Made from good quality material. Height: 83-86 cm, Width: 11.30-12 cm, Length: 3.6-3.9 cm, Weight range: 1140 to 1200 grams 17 Cricket ball (Hard tennis and leather) 18 Running spike respectively ball Per ball weight (120-125g), Hand steined cricket leather ball from fine, flexible and quality leather. The core of the ball is made with fine grade cork and is layered with tightly wound merino wool (weight 300 gram). 18 Running spike respectively ball to the professional lifted shape of Shoe for sprinters to run. Moulded heel to give support to ankle. Full TPU Soleplate for men's and women's category. 19 Javelin Rubber tipped javelins (not the regular tipped). Cotton grip, 2.7 m long, Javelins 800 grams for men's and 600 grams for women's. 20 Discus for Men's diameter of 219 mm (8.6 inches) with a thickness of 44 mm (1.75 inches) in the men's category. The minimum weight of the discus must be 2 kg (4.4 pounds). 21 Discus for female 22 High Jump Landing Mats 5×3×1 m Made of high-quality polyurethane foam (PU Foam) to provide optimum cushioning while landing. Covered with high quality non-tearing and non-abrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. 23 High Jump Upright Poles with Cross Bar Support 2						
Height: 83-86 cm, Width: 11.30-12 cm, Length: 3.6- 3.9 cm, Weight range: 1140 to 1200 grams Gricket Cricket Cricket Counce height 4.45 feet, rubber material, red colour, Heavy weight ball Per ball weight (120-125g), Hand stiched cricket leather ball from fine, flexible and quality leather, The core of the ball is made with fine grade cork and is layered with tightly wound merino wool (weight 300 gram). Thermoplastic Polyurethane, Lightweight, spike Professional lifted shape of Shoe for sprinters to run. Moulded heel to give support to ankle. Full TPU Soleplate for men's and women's category.						
3.9 cm, Weight range: 1140 to 1200 grams						
Cricket ball (Hard tennis and leather) Heavy weight ball Per ball weight (120-125g), Hand sticked cricket leather ball from fine, flexible and quality leather, The core of the ball is made with fine grade cork and is layered with tightly wound merino wool (weight 300 gram).						
ball (Hard tennis and stiched cricket leather ball from fine, flexible and quality leather, The core of the ball is made with fine grade cork and is layered with tightly wound merino wool (weight 300 gram). Running spike Professional lifted shape of Shoe for sprinters to run. Moulded heel to give support to ankle. Full TPU Soleplate for men's and women's category. Rubber tipped javelins (not the regular tipped). Cotton grip, 2.7 m long, Javelins 800 grams for men's and 600 grams for women's. Circular with a diameter of 219 mm (8.6 inches) with a thickness of 44 mm (1.75 inches) in the men's category. The minimum weight of the discus must be 2 kg (4.4 pounds). Circular with a diameter of 180 mm (7.1 inches) and weighs 1 kg (2 pounds 3.2 ounces). High Jump Landing Mats 5×3×1 m Made of high-quality polyurethane foam (PU Foam) to provide optimum cushioning while landing. Covered with high quality non-tearing and non-abrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. High Jump Upright Poles with Cross Bar Support 2 Aligh Jump Upright With elded bar rests. Complies with International standards. Approved by World Athletics. Height adjustment from 70 cm to 260 cm.	(Cricket		40		
tennis and leather) grade cork and is layered with tightly wound merino wool (weight 300 gram). Running spike shoes run. Moulded heel to give support to ankle. Full TPU Soleplate for men's and women's category. Javelin Rubber tipped javelins (not the regular tipped). Cotton grip, 2.7 m long, Javelins 800 grams for men's and 600 grams for women's. Discus for Men's Circular with a diameter of 219 mm (8.6 inches) with a thickness of 44 mm (1.75 inches) in the men's category. The minimum weight of the discus must be 2 kg (4.4 pounds). Discus for female and weighs 1 kg (2 pounds 3.2 ounces). High Jump Landing Mats S\3\text{3}\times 1 m Covered with high quality polyurethane foam (PU Foam) to provide optimum cushioning while landing. Covered with high quality non-tearing and non-abrasive synthetic material. Air cell foam construct in a lattice structure, made up. of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. High Jump Upright with New Yorld Athletics. Height Support 2 adjustment from 70 cm to 260 cm.				10		
leather) cather) quality leather, The core of the ball is made with fine grade cork and is layered with tightly wound merino wool (weight 300 gram). Running spike Professional lifted shape of Shoe for sprinters to run. Moulded heel to give support to ankle. Full TPU Soleplate for men's and women's category. Push		,				
grade cork and is layered with tightly wound merino wool (weight 300 gram). Running spike Professional lifted shape of Shoe for sprinters to run. Moulded heel to give support to ankle. Full TPU Soleplate for men's and women's category. Javelin Rubber tipped javelins (not the regular tipped). Cotton grip, 2.7 m long, Javelins 800 grams for men's and 600 grams for women's. Cotton grip, 2.7 m long, Javelins 800 grams for men's and 600 grams for women's and 600 grams for women's. Circular with a diameter of 219 mm (8.6 inches) with a thickness of 44 mm (1.75 inches) in the men's category. The minimum weight of the discus must be 2 kg (4.4 pounds). Discus for Circular with a diameter of 180 mm (7.1 inches) and weighs 1 kg (2 pounds 3.2 ounces). High Jump Landing Mats 5×3×1 m Sax 1 m Covered with high quality polyurethane foam (PU Foam) to provide optimum cushioning while landing. Covered with high quality non-tearing and nonabrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. High Jump Upright with 18" steel square base. Steel constructed risers with unded bar rests. Complies with International standards. Approved by World Athletics. Height adjustment from 70 cm to 260 cm.						
Running Thermoplastic Polyurethane, Lightweight, Professional lifted shape of Shoe for sprinters to Professional lifted shape of sprinters to Professional lifted shape of Shoe for sprinters to Professional lifted shape of Shoe for sprinters to Professional lifted shape of stability Professional lifted shape of Shoe for stability	1	icather)				
Running spike Professional lifted shape of Shoe for sprinters to run. Moulded heel to give support to ankle. Full TPU Soleplate for men's and women's category. Rubber tipped javelins (not the regular tipped). Cotton grip, 2.7 m long, Javelins 800 grams for men's and 600 grams for women's. Corting arm for women's. Corcular with a diameter of 219 mm (8.6 inches) with a thickness of 44 mm (1.75 inches) in the men's category. The minimum weight of the discus must be 2 kg (4.4 pounds). Circular with a diameter of 180 mm (7.1 inches) and weighs 1 kg (2 pounds 3.2 ounces). High Jump Landing Mats 5×3×1 m Covered with high quality non-tearing and non-abrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. Heavy gauge steel uprights. High Jump standards with 18" steel square base. Steel constructed risers with welded bar rests. Complies with International standards. Approved by World Athletics. Height adjustment from 70 cm to 260 cm.						
spike shoes Professional lifted shape of Shoe for sprinters to run. Moulded heel to give support to ankle. Full TPU Soleplate for men's and women's category. Rubber tipped javelins (not the regular tipped). Cotton grip, 2.7 m long, Javelins 800 grams for men's and 600 grams for women's. Circular with a diameter of 219 mm (8.6 inches) with a thickness of 44 mm (1.75 inches) in the men's category. The minimum discus must be 2 kg (4.4 pounds). Discus for female Circular with a diameter of 180 mm (7.1 inches) and weighs 1 kg (2 pounds 3.2 ounces). High Jump Landing Mats S×3×1 m Covered with high quality polyurethane foam (PU landing). Since the landing. Covered with high quality non-tearing and non-abrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. High Jump Upright Poles with Very gauge steel uprights. High Jump standards with welded bar rests. Complies with International standards. Approved by World Athletics. Height adjustment from 70 cm to 260 cm.	I	Dunning		15		
shoes run. Moulded heel to give support to ankle. Full TPU Soleplate for men's and women's category. Rubber tipped javelins (not the regular tipped). Cotton grip, 2.7 m long, Javelins 800 grams for men's and 600 grams for women's. Discus for Men's Circular with a diameter of 219 mm (8.6 inches) with a thickness of 44 mm (1.75 inches) in the men's category. The minimum weight of the discus must be 2 kg (4.4 pounds). Discus for female Circular with a diameter of 180 mm (7.1 inches) and weighs 1 kg (2 pounds 3.2 ounces). High Jump Landing Foam) to provide optimum cushioning while landing. S×3×1 m Covered with high quality non-tearing and non-abrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. High Jump Upright With 18" steel square base. Steel constructed risers with welded bar rests. Complies with International standards. Approved by World Athletics. Height adjustment from 70 cm to 260 cm.				13		
TPU Soleplate for men's and women's category. Rubber tipped javelins (not the regular tipped). Cotton grip, 2.7 m long, Javelins 800 grams for men's and 600 grams for women's. Discus for Circular with a diameter of 219 mm (8.6 inches) with a thickness of 44 mm (1.75 inches) in the men's category. The minimum discus must be 2 kg (4.4 pounds). Discus for female and weighs 1 kg (2 pounds 3.2 ounces). High Jump Landing Mats Foam) to provide optimum cushioning while landing. Covered with high quality non-tearing and non-abrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. High Jump Upright Poles with Poles with Poles with Newleded bar rests. Complies with International standards. Approved by World Athletics. Height adjustment from 70 cm to 260 cm.						
Discus for Men's Discus for female Discu	S.	snoes				
Cotton grip, 2.7 m long, Javelins 800 grams for men's and 600 grams for women's. Discus for Men's Circular with a diameter of 219 mm (8.6 inches) with a thickness of 44 mm (1.75 inches) in the men's category. The minimum weight of the discus must be 2 kg (4.4 pounds). Circular with a diameter of 180 mm (7.1 inches) and weighs 1 kg (2 pounds 3.2 ounces). High Jump Landing Mats Covered with high quality polyurethane foam (PU Foam) to provide optimum cushioning while landing. Covered with high quality non-tearing and non-abrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. Heavy gauge steel uprights. High Jump standards with 18" steel square base. Steel constructed risers with welded bar rests. Complies with International standards. Approved by World Athletics. Height adjustment from 70 cm to 260 cm.		r 1:		02.102		
Discus for Men's With a diameter of 219 mm (8.6 inches) with a thickness of 44 mm (1.75 inches) in the men's category. The minimum discus must be 2 kg (4.4 pounds). Discus for Female Circular with a diameter of 180 mm (7.1 inches) and weighs 1 kg (2 pounds 3.2 ounces). High Jump Landing Mate of high-quality polyurethane foam (PU Foam) to provide optimum cushioning while landing. Sya×1 m Covered with high quality non-tearing and nonabrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. Heavy gauge steel uprights. High Jump standards with 18" steel square base. Steel constructed risers with welded bar rests. Complies with International standards. Approved by World Athletics. Height adjustment from 70 cm to 260 cm.	J	Javelin		03+03		
Discus for Men's With a thickness of 44 mm (1.75 inches) in the men's category. The minimum weight of the discus must be 2 kg (4.4 pounds). Discus for female Circular with a diameter of 180 mm (7.1 inches) and weighs 1 kg (2 pounds 3.2 ounces). High Jump Landing Mate of high-quality polyurethane foam (PU Foam) to provide optimum cushioning while landing. 5×3×1 m Covered with high quality non-tearing and non-abrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. Heavy gauge steel uprights. High Jump standards with 18" steel square base. Steel constructed risers with welded bar rests. Complies with International standards. Approved by World Athletics. Height adjustment from 70 cm to 260 cm.						
Men's with a thickness of 44 mm (1.75 inches) in the men's category. The minimum discus must be 2 kg (4.4 pounds). 21 Discus for female Circular with a diameter of 180 mm (7.1 inches) and weighs 1 kg (2 pounds 3.2 ounces). 22 High Jump Landing Mate of high-quality polyurethane foam (PU Foam) to provide optimum cushioning while landing. 5×3×1 m Covered with high quality non-tearing and nonabrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. 23 High Jump Upright Poles with Poles with Cross Bar Support 2 with welded bar rests. Complies with International standards. Approved by World Athletics. Height adjustment from 70 cm to 260 cm.				0.0		
men's category. The minimum weight of the discus must be 2 kg (4.4 pounds). 21 Discus for female 22 High Jump Landing Mats 5×3×1 m Covered with high quality non-tearing and non-abrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. 23 High Jump Upright Poles with Poles with Poles with Cross Bar Support 2 High Jump Strong, reinforced constructed risers with welded bar rests. Complies with International standards. Approved by World Athletics. Height adjustment from 70 cm to 260 cm.				02		
discus must be 2 kg (4.4 pounds). 21 Discus for female and weighs 1 kg (2 pounds 3.2 ounces). 22 High Jump Landing Mats Ianding. 5×3×1 m Covered with high quality non-tearing and non-abrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. 23 High Jump Upright Poles with Poles with Cross Bar Support 2 with adjustment from 70 cm to 260 cm.	N	Men's				
Discus for female and weighs 1 kg (2 pounds 3.2 ounces). 22 High Jump Landing Mats Indiang. 5×3×1 m Covered with high quality non-tearing and nonabrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. High Jump Upright With 18" steel square base. Steel constructed risers with welded bar rests. Complies with International standards. Approved by World Athletics. Height Support 2 adjustment from 70 cm to 260 cm.						
female and weighs 1 kg (2 pounds 3.2 ounces). High Jump Landing Foam) to provide optimum cushioning while landing. 5×3×1 m Covered with high quality non-tearing and non-abrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. Heavy gauge steel uprights. High Jump standards with 18" steel square base. Steel constructed risers with welded bar rests. Complies with International standards. Approved by World Athletics. Height adjustment from 70 cm to 260 cm.						1
High Jump Landing Foam) to provide optimum cushioning while landing. 5×3×1 m Covered with high quality non-tearing and non-abrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. Heavy gauge steel uprights. High Jump standards with 18" steel square base. Steel constructed risers Poles with welded bar rests. Complies with International standards. Approved by World Athletics. Height Support 2 adjustment from 70 cm to 260 cm.				02		
Landing Mats 5×3×1 m Covered with high quality non-tearing and non-abrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. High Jump Upright Poles with Poles with With welded bar rests. Complies with International standards. Approved by World Athletics. Height adjustment from 70 cm to 260 cm.						
Mats 5×3×1 m Covered with high quality non-tearing and non- abrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. Heavy gauge steel uprights. High Jump standards Upright Vipright Poles with Cross Bar Support 2 With 18" steel square base. Steel constructed risers with Nedded bar rests. Complies with International standards. Approved by World Athletics. Height adjustment from 70 cm to 260 cm.	I	High Jump		02		
Covered with high quality non-tearing and non- abrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. 23 High Jump Upright Vipright Vip	I	Landing	Foam) to provide optimum cushioning while			
abrasive synthetic material. Air cell foam construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. 23 High Jump Heavy gauge steel uprights. High Jump standards Upright with 18" steel square base. Steel constructed risers Poles with welded bar rests. Complies with International standards. Approved by World Athletics. Height Support 2 adjustment from 70 cm to 260 cm.						
construct in a lattice structure, made up of three layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. 23 High Jump Upright with 18" steel square base. Steel constructed risers Poles with welded bar rests. Complies with International standards. Approved by World Athletics. Height Support 2 adjustment from 70 cm to 260 cm.	5	$5 \times 3 \times 1 \text{ m}$	Covered with high quality non-tearing and non-			
layers with different densities with considerable cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. 23 High Jump Upright With 18" steel square base. Steel constructed risers Poles with With welded bar rests. Complies with International standards. Approved by World Athletics. Height Support 2 adjustment from 70 cm to 260 cm.			abrasive synthetic material. Air cell foam			
cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. High Jump Upright with 18" steel square base. Steel constructed risers Poles with velded bar rests. Complies with International standards. Approved by World Athletics. Height adjustment from 70 cm to 260 cm.			construct in a lattice structure, made up of three			
cushioning. Strong, reinforced handles on each base for maneuverability. Hook and loop system hold bases together for stability. High Jump Upright with 18" steel square base. Steel constructed risers Poles with welded bar rests. Complies with International standards. Approved by World Athletics. Height adjustment from 70 cm to 260 cm.			layers with different densities with considerable			
base for maneuverability. Hook and loop system hold bases together for stability. 23 High Jump Heavy gauge steel uprights. High Jump standards With 18" steel square base. Steel constructed risers Poles with With welded bar rests. Complies with International standards. Approved by World Athletics. Height Support 2 adjustment from 70 cm to 260 cm.						
hold bases together for stability. 23 High Jump Heavy gauge steel uprights. High Jump standards Upright with 18" steel square base. Steel constructed risers Poles with welded bar rests. Complies with International • Cross Bar standards. Approved by World Athletics. Height Support 2 adjustment from 70 cm to 260 cm.						
High Jump Upright With 18" steel square base. Steel constructed risers With welded bar rests. Complies with International Standards. Approved by World Athletics. Height Support 2 adjustment from 70 cm to 260 cm.						
Upright with 18" steel square base. Steel constructed risers Poles with welded bar rests. Complies with International Cross Bar standards. Approved by World Athletics. Height Support 2 adjustment from 70 cm to 260 cm.	I	High Jump		01		
Poles with with welded bar rests. Complies with International standards. Approved by World Athletics. Height adjustment from 70 cm to 260 cm.						
• Cross Bar Standards. Approved by World Athletics. Height adjustment from 70 cm to 260 cm.						
Support 2 adjustment from 70 cm to 260 cm.						
			adjustment from 70 cm to 200 cm.			
			30 mm aluminum with plactic ends = 4.02-meter	02		
				02		
			single length.			
high jump						
24 Cross Bar 30 mm aluminum with plastic ends – 4.02-meter 4.02 m (for single length.	4	Cross Bar 4.02 m (for		02		
poles)						



25	Iron Steel	Iron steel Box with tier stand, different size 4 feet	02		
	Box with	length and 3 feet width, 6 feet length and 3 feet			
	tier stand	width with 6 tier.			
26	Rack stand	Mild steel storage rack stand with 5 shelves	05	*	
27	Garage	Alloy steel tier shelf with 2 shelves, Ball Storage	02		
	Storage	Rack, Wide Bin Basket, 4 Hooks			
	rack with				
	Basket and				
	Hook				
28	Stop	Digital, Dial shape, Least count 0.01 sec	05		
	Watch				
29	Electronic	Sturdy, digital Chargeable/battery operated with	01		
	Weighing	200 kg capacity			
	Scale				
30	. Height	Plastic body floor model, 20-210 cm with 01 mm	01		
	measuring	graduation, easy to transport, portable, durable,			
	scale	lightweight			
		•	Total		

