

## COLLEGE OF AGRICULTURE, FATEHPUR-SHEKHAWATI SIKAR-332301, RAJASTHAN

(Sri Karan Narendra Agriculture University, Johner) कृषि महाविद्यालय, फतेहपुर—शेखावाटी, सीकर— 332301, राजस्थान (श्री कर्ण नरेन्द्र कृषि विश्वविद्यालय, जोबनेर)

## **Comparative Statement of Technical Bid**

The open sealed tenders were invited to Supply of Sports Items at College of Agriculture, Fatehpur-Shekhawati, Sikar-332301, Rajasthan vide tender No. F. (41)/Store/COA/FTR/2025/2111; Dated: 31.07.2025 and subsequent opening of the tender on 12.08.2025 time 2.00 P.M. five parties namely Party No. 1. Agrawal Brothers, Shah Market, Station Road, Jhunjhunu, Rajasthan, Party No. 2. Silver Sports, Dhabai Market, Fatehpur, Sikar, Rajasthan, Party No. 3. Dev Sports, Nagori Gate, Hisar, Haryana, Party No. 4. Lodha Sports & Readymade, Haider Building, Sojati Gate, Jodhpur, Rajasthan, & Party No. 5. Shekhawati Book Depo, Fatehpur-Shekhawati, Sikar Rajasthan have been submitted bid for the Supply of Sports items at College of Agriculture, Fatehpur-Shekhawati, Sikar. The Bid submitted by these parties have been critically evaluated by the committee and the status of the technical bids are as follow:

Party-3 S.No. for Party-1 Party-2 Party-4 Party-5 **Parameters Lodha Sports &** Shekhawati Agrawal Silver Dev Sports, comparison Brothers, Sports, Nagori Gate, Readymade, Book Depo, Shah Dhabai Haider Fatehpur-Hisar, Haryana Market, Market, **Building**, Sojati Shekhawati, Station Fatehpur, Gate, Jodhpur, Sikar Rajasthan Road. Sikar, Rajasthan Jhunjhunu, Rajasthan Rajasthan Registration Fee Yes Yes Yes Yes Yes 1 **EMD** Yes Yes Yes Yes No 2 Address Proof Yes Yes Yes Yes Yes 3 No 4 PAN Card Yes Yes Yes Yes Yes 5 GST/SG Registration Yes Yes Yes Yes No Income Tax Return Yes No Yes No 6 7 Average annual turnover Yes No Yes No No for last three years Firm Registration 8 Yes Yes Yes Yes Yes certificate 9 Self-attested copy of Yes Yes Yes Yes No certificates 10 Declaration of No. Yes Yes Yes Yes authorized dealer No Declaration of blacklist Yes Yes Yes Yes 11 No Declaration of Yes Yes Yes 12 Yes qualification Fall clause certificate Yes Yes Yes No 13 Yes 14 Sample for quality No Yes No No Yes assurance 15 Catalogue for products Yes No Yes No No Non-16 Responsive/non-Non-responsive Non-responsive Responsive Responsive responsive responsive

The report after evaluation quality of the samples submitted by the party No. 1 & party No. 3 is as given on next page:-

12/8/25

12/18/212

## Sample quality standard verification reports as per samples and catalogues submitted by the parties:

| S.  | Item                 | Specification   | Requir<br>ed | Party-1  | Party-2  | Party-3  | Party-4   | Party-5   |
|-----|----------------------|---|--------------|--|--|--|---|---|
| No. |                      |   | Quanti<br>ty | Agrawal<br>Brothers,<br>Shah<br>Market,<br>Station<br>Road,<br>Jhunjhunu,<br>Rajasthan | Silver<br>Sports,<br>Dabai<br>Market,<br>Fatehpur,<br>Sikar,<br>Rajastha | Dev<br>Sports,<br>Nagori<br>Gate,<br>Hisar,<br>Haryana | Lodha Sports & Readymad e, Haider Building, Sojati Gate, Jodhpur, Rajasthan | Shekhawa<br>ti Book<br>Depo,<br>Fatehpur-<br>Shekhawa<br>ti, Sikar<br>Rajasthan |
| 1   | Volleyball<br>(Ball) | Microfiber PU synthetic Leather with air lock valve for air retention, Suitable for: Soft & Rough Outdoor surfaces, All Indoor Surface (The inflated ball must have 65-67 cm circumference with 260–280-gram weight), internal air pressure 0.3-0.325 kgf/cm²           | 20           | Yes  | Not<br>Submitted   | Yes  | Not<br>Submitted  | Not<br>Submitted  |
| 2   | Volleyball<br>Net    | Made with extra heavy cotton twisted netting, (4-sided tape, nylon material with Length at least 10 meters, Width at least 1 meters)  | 05           | Not as per specification   | Not<br>Submitted   | Yes  | Not<br>Submitted  | Not<br>Submitted  |
| 3   | TT ball              | Plastic, orange color with 55 gram weight approx., 5 star ball with premier quality and manufacturing company is well known in world.   | 30           | Not as per<br>tender<br>specification  | Not<br>Submitted   | Not as<br>per<br>tender<br>specificat<br>ion           | Not<br>Submitted  | Not<br>Submitted  |
| 4   | TT Bat               | Bat Weight: Approx 180 grams, Rubber Type: Integrated with carbon layer & ply wood blade, blade length 17 cm and blade width 15 cm, Hard Sponge Thickness: 2 mm, Bat Dimension: Height – 26 inch, Beam Width - 22.5 mm, Head Shape - Oval Shape, Handle Shape - Flared. |              | Not as per<br>tender<br>specification  | Not<br>Submitted   | Yes  | Not<br>Submitted  | Not<br>Submitted  |
| 5   | TT Table<br>Net Set  | Cotton and metallic, portable,<br>4-sided tape, with Spring<br>Activated Clamp Net, size<br>170L x 15H Centimeters.   |              | Yes  | Not<br>Submitted   | Yes  | Not<br>Submitted  | Not<br>Submitted  |
| 6   | Badminton<br>Rackets | Carbon Graphite Shaft Material – High Modulus Graphite, Grip Size - G4 (3.5inches), Head Shape: Isometric head with T-Joint, Weight: (85.0-95 gm), with 67.5L x 20W Centimeters dimension.  | 10           | Yes  | Not<br>Submitted   | Yes  | Not<br>Submitted  | Not<br>Submitted  |
| 7   | Badminton<br>Net     | Waterproof, Upper Edge/Lining of the net- 75 mm white tape, Portable, Material Nylon/Plastic, Depth of the badminton net- 2 feet 6 inches (760 mm in  |              | Not as per specification   | Not<br>Submitted   | Yes  | Not<br>Submitted  | Not<br>Submitted  |

and the time

|    |                              | depth), Length/Width of the badminton net- At least 6.1 meters wide so that it extends over the entire court completely, Badminton net thickness of mesh/net- 15 mm to 20 mm (should be uniform throughout),   |    |                                       |                  |     |                  |                  |
|----|------------------------------|--|----|---------------------------------------|------------------|-----|------------------|------------------|
| 3  | Badminton<br>Shuttle<br>cock | Nylon yellow shuttle cock,<br>Skirt Material- Nylon, Base<br>Material- Cork a foam base,<br>Net Quantity -6 shuttle cock<br>pack.  | 25 | Yes                                   | Not<br>Submitted | Yes | Not<br>Submitted | Not<br>Submitted |
| 9  | Badminton<br>Poll Set        | Metal movable badminton pole light weight made of 38x38 mm square pipe base pipe 2-inch square, pipe each side weight 60 kg, adjustable iron rachet for holding net with net fine quality spray PU paint, easy to carry and move anywhere, installation is very  | 01 | Not as per<br>tender<br>specification | Not<br>Submitted | Yes | Not<br>Submitted | Not<br>Submitted |
| 10 | Badminton<br>Shoes           | Non-Marking good quality<br>shoes of reputed and well-<br>known brand for both male &<br>female category   | 10 | Not as per<br>tender<br>specification | Not<br>Submitted | Yes | Not<br>Submitted | Not<br>Submitted |
| 11 | Football (Ball)              | Durable: Ball rolling: no seams, spherical, Made of leather or other suitable material, of a circumference of not more than 70 cm (28 inches) and not less than 68 cm (27 inches), not more than 450 g (16 oz) in weight and not less than 410 g (14 oz) at the start of the match of a pressure equal to 0.6 – 1.1 atm (600–1100 g/cm <sup>2</sup> ) at sea level (8.5 lbs/sq in to 15.6 lbs/sq | 05 | Yes                                   | Not<br>Submitted | Yes | Not<br>Submitted | Not<br>Submitted |
| 12 | Football<br>Shoes            | in).  Studs of different size PU synthetic leather upper, High shear single/double-color TPU outsole and light weight of reputed and well-known brand  | 25 | Yes                                   | Not<br>Submitted | Yes | Not<br>Submitted | Not<br>Submitted |
| 13 | Football<br>Goal Post<br>Net | Nylon net with inside edges of<br>the posts 7.32 meters (24 feet)<br>apart, and the lower edge of<br>the crossbar is 2.44 meters (8<br>feet) above the ground  | 01 | Not as per<br>tender<br>Specification |                  | Yes | Not<br>Submitted | Not<br>Submitted |
| 14 | Basketball (Ball)            | Size 7, with a circumference 75 cm and weight 624 grams, orange color with made of a rubber bladder covered with leather, rubber or synthetic material, FIBA Level 2 approved for tournament play. Versatile for both indoor and outdoor surfaces  | 10 | Yes                                   | Not<br>Submitted | Yes | Not Submitted    | Submitted        |
| 15 | Basket<br>Ball Shoes         | Non marking shoes, ultra-light   | 10 | Yes                                   | Not<br>Submitted | Yes | Submitted        | Submitted        |

and and the

| 6  |                        | Short Handle, Harrow, Premium quality, Straight Grains,        | 05    | Yes               | Not<br>Submitted | Yes            | Not<br>Submitted   | Not<br>Submitted   |
|----|------------------------|--|-------|-------------------|------------------|----------------|--|--|
|    | Bat                    | Lightweight design, Contoured                                  |       |                   | ,                |                |  |  |
|    |                        | edges, Perfect grip, Strong, sturdy and long-lasting product,  |       |                   |                  |                |  |  |
|    |                        | delivers high performance,                                     |       |                   |                  |                |  |  |
|    |                        | Made from good quality material. Height: 83-86 cm,             |       |                   |                  |                |  |  |
|    |                        | Width: 11.30-12 cm, Length:                                    |       |                   |                  |                |  |  |
|    |                        | 3.6-3.9 cm, Weight range: 1140                                 |       |                   |                  |                |  |  |
| _  | 0:1.4                  | to 1200 grams  Bounce height 4.45 feet, rubber                 | 40    | Yes               | Not              | Yes            | Not  | Not  |
| 7  | Cricket<br>ball (Hard  | material, red colour, Heavy                                    | 10    |                   | Submitted        |                | Submitted  | Submitted  |
|    | tennis and             | weight ball Per ball weight                                    |       |                   |                  |                |  |  |
|    | leather)               | (120-125g), Hand stiched cricket leather ball from fine,       |       |                   |                  |                |  |  |
|    |                        | flexible and quality leather, The                              |       |                   |                  |                |  |  |
|    |                        | core of the ball is made with                                  |       |                   |                  |                |  |  |
|    |                        | fine grade cork and is layered with tightly wound merino wool  |       |                   |                  |                |  |  |
|    |                        | (weight 300 gram).   |       | 27.               | Not              | Yes            | Not  | Not  |
| 18 | Running                | Thermoplastic Polyurethane,<br>Lightweight, Professional       | 15    | Not as per tender | Submitted        | 1 65           | Submitted  | Submitted  |
|    | spike<br>shoes         | lifted shape of Shoe for                                       |       | specification     |                  |                |  |  |
|    | Silves                 | sprinters to run. Moulded heel                                 |       |                   |                  |                | 10.  |  |
|    |                        | to give support to ankle. Full TPU Soleplate for men's and     |       |                   |                  |                |  |  |
|    |                        | women's category.  |       |                   | 27.4             | Natos          | Not  | Not  |
| 19 | Javelin                | Rubber tipped javelins (not                                    | 03+03 | Not as per tender | Not<br>Submitted | Not as per     | Submitted  | Submitted  |
|    |                        | the regular tipped). Cotton grip, 2.7 m long, Javelins 800     |       | specification     | Subminous        | tender         |  |  |
|    |                        | grams for men's and 600  |       |                   |                  | specificat ion |  |  |
|    | D' C                   | grams for women's.  Circular with a diameter of                | 02    | Yes               | Not              | Yes            | Not  | Not  |
| 20 | Discus for<br>Men's    | 219 mm (8.6 inches) with a                                     | 02    |                   | Submitted        |                | Submitted  | Submitted  |
|    |                        | thickness of 44 mm (1.75                                       |       |                   |                  |                |  |  |
|    |                        | inches) in the men's category.  The minimum weight of the      |       |                   |                  |                |  | The state of the s |
|    |                        | discus must be 2 kg (4.4                                       |       |                   |                  |                |  |  |
|    |                        | pounds).  Circular with a diameter of                          | 02    | Yes               | Not              | Yes            | Not  | Not  |
| 21 | Discus for female      | 180 mm (7.1 inches) and  | 02    |                   | Submitted        |                | Submitted  | Submitted  |
|    | Tomase                 | weighs 1 kg (2 pounds 3.2                                      |       |                   |                  |                |  |  |
| 22 | High Jump              | ounces).  Made of high-quality                                 | 02    | Not               | Not              | Yes            | Not  | Not  |
| 22 | Landing                | polyurethane foam (PU Foam)                                    |       | Submitted         | Submitted        |                | Submitted  | Submitted  |
|    | Mats                   | to provide optimum cushioning while landing.                   |       |                   |                  |                | 8.00.00  |  |
|    | 5×3×1 m                | Covered with high quality                                      |       |                   |                  |                |  |  |
|    |                        | non-tearing and non-abrasive                                   |       |                   |                  |                |  |  |
|    |                        | synthetic material. Air ce'll foam construct in a lattice      |       |                   |                  |                |  |  |
|    |                        | structure, made up of three                                    |       |                   |                  |                |  |  |
|    | 7                      | layers with different densities                                |       |                   |                  |                |  | L CVI (Sec.  |
|    |                        | with considerable cushioning.<br>Strong, reinforced handles on |       |                   |                  |                |  |  |
|    |                        | each base for maneuverability.                                 |       |                   |                  |                |  |  |
|    |                        | Hook and loop system hold                                      |       |                   |                  |                | and the state of t | 1000   |
| 23 | High Jum               | bases together for stability.  p Heavy gauge steel uprights.   | 01    | Not               | Not              | Yes            | Not  | Not<br>Submitte  |
| 23 | Upright                | High Jump standards with 18"                                   |       | Submitted         | Submitted        |                | Submitted  | Subilitie  |
|    | Poles with             |  |       |                   |                  |                |  |  |
|    | Cross Bar<br>Support 2 | bar rests. Complies with                                       |       |                   |                  |                |  |  |
|    | m                      | International standards. Approved by World Athletics.          |       |                   |                  |                |  |  |

au

A Mil

Hmb

Jun-

|    |  | Height adjustment from 70 cm to 260 cm.  |    |                  | N                | Yes | Not              | Not              |
|----|--|--|----|------------------|------------------|-----|------------------|------------------|
| 24 | Cross Bar<br>4.02 m<br>(for high<br>jump             | 30 mm aluminum with plastic ends – 4.02-meter single length.   | 02 | Not<br>Submitted | Not<br>Submitted | Yes | Submitted        | Submitted        |
| 25 | poles) Iron Steel Box with tier stand                | Iron steel Box with tier stand, different size 4 feet length and 3 feet width, 6 feet length and 3 feet width with 6 tier. | 02 | Yes              | Not<br>Submitted | Yes | Not<br>Submitted | Not<br>Submitted |
| 26 | Rack stand   | Mild steel storage rack stand with 5 shelves   | 05 | Yes              | Not<br>Submitted | Yes | Not<br>Submitted | Not<br>Submitted |
| 27 | Garage<br>Storage<br>rack with<br>Basket and<br>Hook | Alloy steel tier shelf with 2<br>shelves, Ball Storage Rack,<br>Wide Bin Basket, 4 Hooks                                   | 02 | Not<br>Submitted | Not<br>Submitted | Yes | Not<br>Submitted | Not<br>Submitted |
| 28 | Stop   | Digital, Dial shape, Least count 0.01 sec  | 05 | Yes              | Not<br>Submitted | Yes | Not<br>Submitted | Not<br>Submitted |
| 29 | Electronic Weighing                                  | Sturdy, digital Chargeable/battery operated with 200 kg capacity   | 01 | Yes              | Not<br>Submitted | Yes | Not<br>Submitted | Not<br>Submitted |
| 30 | Scale Height measuring scale                         | Plastic body floor model, 20-<br>210 cm with 01 mm<br>graduation, easy to transport,<br>portable, durable, lightweight     | 01 | Yes              | Not<br>Submitted | Yes | Not<br>Submitted | Not<br>Submitted |

In response to the tenders invited for the supply of sports items at the College of Agriculture, Fatehpur-Shekhawati, a total of five parties namely Party No. 1. Agrawal Brothers, Shah Market, Station Road, Jhunjhunu, Rajasthan, Party No. 2. Silver Sports, Dhabai Market, Fatehpur, Sikar, Rajasthan, Party No. 3. Dev Sports, Nagori Gate, Hisar, Haryana, Party No. 4. Lodha Sports & Readymade, Haider Building, Sojati Gate, Jodhpur, Rajasthan, & Party No. 5. Shekhawati Book Depo, Fatehpur-Shekhawati, Sikar, Rajasthan applied for participation. The technical bid submitted by five parties, two parties namely Party No. 1. Agrawal Brothers, Shah Market, Station Road, Jhunjhunu, Rajasthan, & Party. 3. Dev Sports, Nagori Gate, Hisar, Haryana, have submitted samples and catalogues for quality verification. Only few samples met the prescribed quality standard submitted by Party No. 1 (Agrawal Brothers, Shah Market, Station Road, Jhunjhunu, Rajasthan), while the other items were not as per the required specification, whereas all samples submitted by Party 3 No. (Dev Sports, Nagori Gate, Hisar, Haryana) were as per prescribed quality standards. Three parties namely Party No. 2. Silver Sports, Dhabai Market, Fatehpur, Sikar, Rajasthan, Party No. 4. Lodha Sports & Readymade, Haider Building, Sojati Gate, Jodhpur, Rajasthan & Party No. 5. Shekhawati Book Depo, Fatehpur-Shekhawati, Sikar, Rajasthan have not submitted samples, catalogues and any other information for quality verification, therefore, their bids are treated as nonresponsive in the technical bid. Hence, Committee recommends for opening financial bids of the parties viz., Party No. 1. Agrawal Brothers, Shah Market, Station Road, Jhunjhunu, Rajasthan only for those items who met the prescribed quality standard & Party No. 3. Dev Sports, Nagori Gate, Hisar, Haryana for all items.

(Damodar Dhabai) Member (V.K. Baldodiya) Member (L.P. Balai) Member (Anil Kumar Gurjar) Comptroller Nominee

(M.L. Meena)

Convener

**Approved** 

DEAN