



KRISHI VIGYAN KENDRA, KUMHER-BHARATPUR

DIRECTORATE OF EXTENSION EDUCATION

(SRI KARAN NARENDRA AGRICULTURE UNIVERSITY, JOBNER-JAIPUR)



Dr.Navab Singh
Senior Scientist & Head

Mob- 91-9414544054
E mail- pc.kvk.kumher@sknau.ac.in

No. F. /LT /KVK/KUMHER/2026/606

Dated: 26-02-2026

CORRIGENDUM

As per this office Limited Tender No. F. /OT/KVK/KUMHER/2026/554-559 Dated: 20-02-2026, the Limited tender will be held on 26-02-2026 for **Furniture Suppy** at KVK, Kumher, Bharatpur. Due unavoidable reasons So, opning date of Limited tender will be 27th Ferbruary, 2026 on 11:30 AM at KVK, Kumher, Bharatpu Meeting Hall and some change in technical have been made & others conditions have remained the same.

Bid document uploaded on NIB code SKN2526A0450 and UBN is: SKN2526GSLB00487

Senior Scientist & Head
KVK Kumher, Bharatpur (Rajasthan)

Copy to:-

1. The Director, DEE, SKNAU, Jobner for information.
2. The Comptroller, SKNAU, Jobner, Jaipur for information.
3. Treasury Officer SKNAU, Jobner, Jaipur for information.
4. The Comptroller, SKNAU, Jobner, Jaipur for information.
5. The Convenor & Committee member of KVK, Kumher, Bharatpur.
6. The Guard files.

Senior Scientist & Head
KVK Kumher, Bharatpur (Rajasthan)

कृषि विज्ञान केन्द्र कुम्हेर-भरतपुर

क्रमांक: एफ F. No ()/OT/ KVK/K/2026/554-559

Dated 20-02-2026

निविदा हेतु तकनीकी विवरण व शर्त:-

क्र.सं	तकनीकी विवरण	नग
1-	<p><u>Almirah</u> Overall Size 78 x 36 x 21 (Minimum). Top, Bottom, Side panel & 5 Shelve be made up of 20/22-gauge thick CRCA sheet with 50-micron Powder Coated, Legs made up of 0.8 mm thick CRCA sheet 50-micron powder coated, shutter made up of 1mm thick CRCA sheet 50-micron powder coated, No Sharp Edges of Almirah Ends, All Shelve Rack Divided into Equal Parts. All Metal Pieces Shall Be Welded Properly Strongly following conformity and regulation with proper finishing. Main Gate Locker should have at least 2 Key Set Minimum, with proper warranty. Minimum weight of Almirah shall be 78 Kg. & with 10 years Paint & Lock warranty.</p>	3
2-	<p><u>Almirah</u> Overall Size 78 x 36 x21 (Minimum). Top, Bottom, Side panel & 5 Shelve be made up of 20/22-gauge thick CRCA sheet with 50-micron Powder Coated, Legs made up of 0.8 mm thick CRCA sheet 50-micron powder coated, shutter made up of 1mm thick CRCA sheet 50-micron powder coated, No Sharp Edges of Almirah Ends, All Shelve Rack Divided into Equal Parts. All Metal Pieces Shall Be Welded Properly Strongly following conformity and regulation with proper finishing. Main Gate Locker should have at least 2 Key Set Minimum, with proper warranty. Minimum weight of Almirah shall be 78 Kg Approx. & with 10 years Paint & Lock warranty and Godrej Cash Locker.</p>	1
3-	<p><u>Table size 4x2.5</u> Overall Size 4x2.5x2.5 with side cabinet and drawer. Top made up of 18 mm thick PLPB and border thickness of 34 mm with 2mm thick pvc edge bending, Vertical made up of 18 mm thick PLPB with 2 mm thick pvc edge bending, Modesty panel made up of 18 mm thick PLPB with 2mm thick pvc edge bending. All Wooden Panels Prime Quality Board with ISI Marked. Main table should have One side 3 Drawers and box with partition (Table without Keyboard tray)Side cabinet size: 3’x1.5’x2.5’ and 3 drawer, with Keyboard tray Top made up of 18 mm thick PLPB and border thickness of 34 mm with 2mm thick pvc edge bending, all table material MDF Board of Garde Ist.</p>	4
4-	<p><u>Table L Setting 6/3</u> Overall Size 6’x3’x2.5’ with side cabinet and drawer. Top made up of 18 mm thick PRE LAMINATED MDF BOARD and border thickness of 34 mm with 2mm thick PVC edge bending, Vertical made up of 18 mm thick PRE LAMINATED MDF BOARD with 2 mm thick PVC edge bending, Modesty panel made up of 18 mm thick PRE LAMINATED MDF BOARD with 2mm thick PVC edge bending. All Wooden Panels Prime Quality Board with ISI Marked. Main table should have One side 3 Drawers and Side cabinet another side one drawer and box with partition. The Top made up of 18 mm thick PRE LAMINATED MDF BOARD and border thickness of 34 mm with 2mm thick edge bending Paint polish. All table material MDF Board of Garde Ist.</p>	1
5-	<p><u>Office Chair</u> Ergonomic design, comfortable & aesthetically appealing. The seat and back frame shall be made up of the combination of 15 mm thick hot pressed commercial plywood and ply-board padded with high resilience polyurethane foam (50+25+30) mm thick having density (40, 32 & 32)</p>	4

	kg/m ³ in seat and (30+25) mm thick having density (32, 32) kg/m ³ in back. The same shall be upholstered with leatherette tapestry. For seating durability, the chair shall have torsion bar 360-degree revolving mechanism with upright position locking and tilt tension adjustment. The Pedestal should be fitted with 5 nos. twin wheel castors. Overall height shall be = 1170±10 mm & overall width/depth = 740±10 mm.	
6-	<p>File Cabinet 4 drawer</p> <ul style="list-style-type: none"> • Material:C.R. SHEET • Dimension (MM):1725x915x540 • Guarantee:10 Years on Paint & Locks • Width:36 • Hangers:30 HANGERS • Type of Paint:Metallic Finish <p>Key Features</p> <ul style="list-style-type: none"> • 10 Hangers in Each Big Size Drawer • 3 Big Size Drawer • 1 Small Size Drawer • 4 Chrome Plated Legs • Key Bag • 50 Kg Aproximate 	2

निविदा शर्तें

1. आपूर्ति किये गये सामान का भुगतान कोषालय जोबनेर द्वारा बिल पारित होने पर किया जायेगा।
2. निर्धारित तिथि समय के बाद प्राप्त होने वाली निविदा पर कोई विचार नहीं किया जायेगा।
3. निविदादाता को किसी भी प्रकार की अग्रिम राशि का भुगतान नहीं किया जायेगा।
4. निविदा को निरस्त करने का अधिकार अघोहस्ताक्षरकर्ता को होगा।
5. उपरोक्त सामग्री निविदादाता को वरिष्ठ वैज्ञानिक एवं अध्यक्ष,कुम्हेर स्वयं के जोखिम एवं खर्च पर कार्यालय पहुँचाना होगा।
6. उक्त सीमित निविदा की अनुमानित लागत 2 लाख रुपये है।
7. जी.एस.टी. व पैन नम्बर धारक ही अपनी दर प्रस्तुत कर सकेंगे।
8. आदेश मिलने के सात दिवस में सामान कार्यालय बिना देरी किये पहुँचाना होगा।
9. सभी सामानों को मौके पर निरीक्षण उपरान्त ही स्वीकार किया जावेगा।
10. सामान की गुणवत्ता के जांच हेतु समिति द्वारा फैक्टरी जाकर निरीक्षण किया जावेगा। संतोषजनक पाये जाने पर ही फर्नीचर स्वीकार किया जावेगा।
11. अनुमोदित निविदादाता को स्वीकृति के तीन दिवस में रुपये 100 के नॉप ज्यूडिशियल स्टॉप अनुबंध निष्पादित करना होगा।
12. उक्त सामानों का FOR कृषि विज्ञान केन्द्र कुम्हेर पर करना होगा।
13. टैबिल आदि बनाने हेतु एम.डी. बोर्ड ग्रेड-1 का सेम्पल निविदा खोलने की दिनांक 26.02.2026 को कमटी के समक्ष प्रस्तुत करना होगा।
14. अलमीरा व फाइल केबिनेट ब्रांडेड कम्पनी की होनी चाहिए। लोकल व सेल्फ मेड ब्रांड किसी भी प्रकार से मान्य नहीं होगा।
15. एम.एस.एम.ई. निविदादाता उक्त सामानों का निरीक्षण रिपोर्ट मय प्रपत्र के साथ प्रस्तुत करना होगा। इसके अभाव में एम.एस.एम.ई. की वित्तीय निविदा को नहीं खोला जावेगा।
16. निविदादाता को तकनीकी प्रपत्र के साथ फर्नीचर की फोटो/आवश्यक फर्नीचर लिट्रेचर संलग्न करना होगा।
17. वारंटी व गारंटी लिखित में लेटर हैड पर देनी होगी।

18. प्रपत्र ए, बी, सी, डी व ई संलग्न कर प्रस्तुत करना होगा, इनके अभाव में वित्तीय निविदा नहीं खोली जावेगी।
19. निविदा प्रपत्र में तकनीकी व वित्तीय निविदा अलग-अलग लिफाफे में प्रस्तुत करनी होगी।
20. मैंने उक्त सभी शर्तों को ध्यानपूर्वक पढ़ लिया है व इन सभी शर्तों के तहत कार्य करने की सहमति निविदादाता को लिखित रूप प्रस्तुत करनी होगी।



वरिष्ठ वैज्ञानिक एवं अध्यक्ष

कृषि विज्ञान केन्द्र कुम्हेर-भरतपुर

क्रमांक: एफ F. No ()/OT/ KVK/K/2026/554-559

Dated 20-02-2026

वित्तीय निविदा दर प्रारूप (अलग सील बंद लिफाफे में प्रस्तुत करें)

सेवा में,

श्रीमान वरिष्ठ वैज्ञानिक एवं अध्यक्ष
कृषि विज्ञान केन्द्र, कुम्हेर-भरतपुर।

विषय: आपके सीमित निविदा नं.554-559 दिनांक: 20.02.2026 के अनुसार कार्यालय उपयोग हेतु अलमारी, कुर्सी, टेबिल व फाईल केबिनेट आदि की दर निम्न प्रकार से प्रस्तुत कर रहा हूँ।

क्र.सं	आईटम का नाम	राशि प्रति नग सभी कर सहित	टिप्पणी
1	2	3	4
1.	<u>Almirah</u> Overall Size 78 x 36 x 21 (Minimum). Top, Bottom, Side panel & 5 Shelve be made up of 20/22-gauge thick CRCA sheet with 50-micron Powder Coated, Legs made up of 0.8 mm thick CRCA sheet 50-micron powder coated, shutter made up of 1mm thick CRCA sheet 50-micron powder coated, No Sharp Edges of Almirah Ends, All Shelve Rack Divided into Equal Parts. All Metal Pieces Shall Be Welded Properly Strongly following conformity and regulation with proper finishing. Main Gate Locker should have at least 2 Key Set Minimum, with proper warranty. Minimum weight of Almirah shall be 78 Kg. & with 10 years Paint & Lock warranty.		
2.	<u>Almirah</u> Overall Size 78 x 36 x 21 (Minimum). Top, Bottom, Side panel & 5 Shelve be made up of 20/22-gauge thick CRCA sheet with 50-micron Powder Coated, Legs made up of 0.8 mm thick CRCA sheet 50-micron powder coated, shutter made up of 1mm thick CRCA sheet 50-micron powder coated, No Sharp Edges of Almirah Ends, All Shelve Rack Divided into Equal Parts. All Metal Pieces Shall Be Welded Properly Strongly following conformity and regulation with proper finishing. Main Gate Locker should have at least 2 Key Set Minimum, with proper warranty. Minimum weight of Almirah shall be 78 Kg Approx. & with 10 years Paint & Lock warranty and Godrej Cash Locker.		
3.	<u>Table size 4x2.5</u> Overall Size 4'x2.5'x2.5' with side cabinet and drawer. Top made up of 18 mm thick PLPB and border thickness of 34 mm with 2mm thick pvc edge bending, Vertical made up of 18 mm thick PLPB with 2 mm thick pvc edge bending, Modesty panel made up of 18 mm thick PLPB with 2mm thick pvc edge bending. All Wooden Panels Prime Quality Board with ISI Marked. Main table should have One side 3 Drawers and box with partition (Table without Keyboard tray)Side cabinet size: 3'x1.5'x2.5' and 3 drawer, with Keyboard tray Top made up of 18 mm thick PLPB and border thickness of 34 mm with 2mm thick pvc edge bending, all table material MDF Board of Garde Ist.		
4.	<u>Table L Setting 6/3</u> Overall Size 6'x3'x2.5' with side cabinet and drawer. Top made up of 18 mm thick PRE LAMINATED MDF BOARD and border thickness of 34 mm with 2mm thick PVC edge bending, Vertical made up of 18 mm thick PRE LAMINATED MDF BOARD with 2 mm thick PVC edge bending,		

	Modesty panel made up of 18 mm thick PRE LAMINATED MDF BOARD with 2mm thick PVC edge bending. All Wooden Panels Prime Quality Board with ISI Marked. Main table should have One side 3 Drawers and Side cabinet another side one drawer and box with partition. The Top made up of 18 mm thick PRE LAMINATED MDF BOARD and border thickness of 34 mm with 2mm thick edge bending Paint polish. All table material MDF Board of Garde Ist.		
5.	<p><u>Office Chair</u></p> <p>Ergonomic design, comfortable & aesthetically appealing. The seat and back frame shall be made up of the combination of 15 mm thick hot pressed commercial plywood and ply-board padded with high resilience polyurethane foam (50+25+30) mm thick having density (40, 32 & 32) kg/m³ in seat and (30+25) mm thick having density (32, 32) kg/m³ in back. The same shall be upholstered with leatherette tapestry. For seating durability, the chair shall have torsion bar 360-degree revolving mechanism with upright position locking and tilt tension adjustment. The Pedestal should be fitted with 5 nos. twin wheel castors. Overall height shall be = 1170±10 mm & overall width/depth = 740±10 mm.</p>		
6.	<p><u>File Cabinet 4 drawer</u></p> <ul style="list-style-type: none"> • Material:C.R. SHEET • Dimension (MM):1725x915x540 • Guarantee:10 Years on Paint & Locks • Width:36 • Hangers:30 HANGERS • Type of Paint:Metallic Finish <p>Key Features</p> <ul style="list-style-type: none"> • 10 Hangers in Each Big Size Drawer • 3 Big Size Drawer • 1 Small Size Drawer • 4 Chrome Plated Legs • Key Bag • 50 Kg Aproximate 		

अपूर्ण एवं निर्धारित प्रोफोर्मा के अभाव में निविदा अमान्य होगी।


वरिष्ठ वैज्ञानिक एवं अध्यक्ष
कृषि विज्ञान केन्द्र, कुम्हेर-भरतपुर

हस्ताक्षर मय सील

मो.नं:-

पता:-

जी.एस.टी. नं.: